



LW-PX700

Robust • Versatile • Economical



LabelWorks.Epson.com

LW-PX700



The LW-PX700 is a portable label and wire marker printer with exclusive time - and cost-saving features for creating custom and compliant labels up to 1" (24mm) wide.

Organize tool cribs, identify storage bins, make safety labels, mark cables and wires, asset tags and more. With application-specific hotkeys, this easy-to-use label maker offers extraordinary flexibility. Import images and print on the go - the LW-PX700 features Mixed-Length printing for variable-length labels on a single half-cut strip.

With Epson's innovative rollback technology, you save valuable tape by eliminating wide label margins.

POWERFUL DESIGN SOFTWARE




LW-PX700 works great as a stand-alone unit, or connected to a PC, using Epson's Label Editor Software. Create professional, custom labels that stand out either way!

IMPORT CUSTOM IMAGES



Import logos and images to the stand-alone machine from your PC, and take your branding everywhere you go! LW-PX700 stores up to 5 images.

AUTOMATED LABELING PROJECTS




Industrial hotkeys simplify and automate complicated labeling projects, and speed up productivity. Choose from many wire marking applications like patch panels and punch block.

REDUCED TAPE WASTE



LW-PX700 can produce the tightest labels in the business, reducing tape waste with every label printed. The printer rewinds unused tape from the mouth of the printer prior to every print to minimize leading margins to as short as 4mm, much smaller than many competitors' margins that can exceed 1".

VERSATILE CUTTING



Epson LabelWorks' LW-PX700 has the power to half-cut, or "kiss cut" label tape, keeping your labels all together on one convenient strand.

SCANNABLE LABELS



LW-PX700 can produce bar codes and QR Codes using the stand-alone unit, or connected to a PC.

LIFETIME WARRANTY



Register your printer with us when you receive it, and you're covered for as long as you own it. **100% Covered. Always. You break it. We replace it. For life.**

And this warranty isn't some add-on service plan available at an additional cost. Instead, your warranty comes with your printer, so you'll never have to worry about life if it happens to your printer.

AVAILABLE KITS

SKU: LW-PX700

Kit Includes:

- LW-PX700 Printer
 ½" (12mm) Black on White VINYL Cartridge (212VTBWPX)
- AC Adapter

 FREE Label Editor Software Downloads (Unlimited Licenses)

SPECIFICATIONS

PRINTER

Technology: Thermal Transfer Tape Width: 1/6" - 1" (4-24mm) Heat Shrink Tube Width: 1/8" - 9/16" (3-14mm) Resolution: 180dpi Printer Head Width: 18.1mm Max Print Speed: 30mm/sec (with AC Adapter)

HARDWARE

Cutter: Automatic with full-cut & half-cut options Replaceable Cutter: N/A LCD: 3.2" monochrome back-lit LCD Keyboard: QWERTY Internal Memory: Up to 50 files and 5 images Drop-Stop & Pick-n-print: Yes Detection: Cover open, battery level, tape detection (type and size), tape end

CONNECTIVITY

Interface: USB Compatible PC Software: Epson Label Editor Compatible Mac Software: N/A Compatible Apps (iOS 9.0 or later Android 5.0 or later): N/A

POWER INFORMATION

AC Adapter: Yes Battery: Rechargeable Lithium-Ion Battery or 6 AA Batteries (batteries not included)

See next page for tape compatibility > Check LabelWorks.Epson.com for product updates, information, and current pricing





SKU: LW-PX700PCD

Kit Includes:

- LW-PX700 Printer
- ½" (12mm) Black on White VINYL Cartridge (212VTBWPX)
- AC Adapter
- USB Cable
- Lithium-Ion Battery
- Magnetic Attachments
- Heavy-Duty Plastic Case
- FREE Label Editor Software Downloads (Unlimited Licenses)

PRINTER SETTINGS & FEATURES

Repeat Printing: Yes Auto Increment: Yes Number Serialization: Up to 4 digits Label Transfer from PC Software: Yes Store and Print Images: Yes, up to 5* Mirror Printina: Yes Mix-Length: Yes Peel Guard Corner Rounder: N/A Minimum Margins: 4mm lead, 1mm between labels Vertical Printing: Yes Cable Wrap: Yes Flag: Yes Patch Panel: Yes Punch Block: Yes Faceplate: Yes Block 66: Yes Barcodes: 8 formats **QR Code:** Yes Symbols: 892 Length: Auto or custom # of Fonts: 2 **Frames:** 72 Table: 3


*From PC Software and Apps

m
B
\leq
P
\mathbf{K}
\mathbf{F}
Ū
X
2

STANDARD INDUSTRIAL POLYESTER TAPE - 30ft (9m)				
MPRINT	TAPE	WIDTH	PART NUMBER	
		1/4" (6mm)	206BCPX [†]	
		3/8" (9mm)	209BCPX [†]	
	Clear	1/2" (12mm)	212BCPX [†]	
		3/4" (18mm)	218BCPX [†]	
		1" (24mm)	224BCPX [†]	
	Translucent Matte (limited supply)	3/4" (18mm)	218BTMPX	
		1/6" (4mm)	204BWPX	
		1/4" (6mm)	206BWPX [†]	
	14/1-11-	3/8" (9mm)	209BWPX**†	
	White	1/2" (12mm)	212BWPX** [†]	
		3/4" (18mm)	218BWPX**†	
		1" (24mm)	224BWPX**†	
		1/4" (6mm)	206BYPX [†]	
		3/8" (9mm)	209BYPX**†	
	Yellow	1/2" (12mm)	212BYPX**†	
		3/4" (18mm)	218BYPX** [†]	
		1" (24mm)	224BYPX**†	
		1/4" (6mm)	206BGPX [†]	
		3/8" (9mm)	209BGPX [†]	
	Green	1/2" (12mm)	212BGPX [†]	
Black		3/4" (18mm)	218BGPX [†]	
		1" (24mm)	224BGPX [†]	
	Blue	1/4" (6mm)	206BBPX [†]	
		3/8" (9mm)	209BBPX [†]	
		1/2" (12mm)	212BBPX [†]	
		3/4" (18mm)	218BBPX [†]	
		1" (24mm)	224BBPX [†]	
		1/4" (6mm)	206BRPX [†]	
		3/8" (9mm)	209BRPX [†]	
	Red	1/2" (12mm)	212BRPX [†]	
		3/4" (18mm)	218BRPX [†]	
		1" (24mm)	224BRPX [†]	
		1/2" (12mm)	212BOPX	
	Orange	3/4" (18mm)	218BOPX	
		1" (24mm)	224BOPX	
	White Removable	1/2" (12mm)	212RAPX [†]	
	Purple	3/4" (18mm)	218BVPX	
		3/8" (9mm)	209SMPX [†]	
	Matta Oliver	1/2" (12mm)	212SMPX [†]	
	Matte Silver	3/4" (18mm)	218SMPX [†]	
		1" (24mm)	224SMPX [†]	

STANDARD INDUSTRIAL POLYESTER TAPE - 30ft (9m)				
IMPRINT	TAPE	WIDTH	PART NUMBER	
		1/4" (6mm)	206WBPX [†]	
		3/8" (9mm)	209WBPX [†]	
	Black	1/2" (12mm)	212WBPX [†]	
		3/4" (18mm)	218WBPX [†]	
		1" (24mm)	224WBPX [†]	
		1/2" (12mm)	212WRPX	
	Vivid Red	3/4" (18mm)	218WRPX	
		1" (24mm)	224WRPX	
White		1/2" (12mm)	212WGPX	
	Vivd Green	3/4" (18mm)	218WGPX	
		1" (24mm)	224WGPX	
		1/2" (12mm)	212WLPX	
	Vivid Blue	3/4" (18mm)	218WLPX	
		1" (24mm)	224WLPX	
		1/2" (12mm)	212WCPX [†]	
	Clear	3/4" (18mm)	218WCPX [†]	
		1" (24mm)	224WCPX [†]	
Red	White	1/2" (12mm)	212RWPX [†]	





FLUORESCENT POLYESTER TAPE - 30ft (9m)				
IMPRINT	TAPE	WIDTH	PART NUMBER	
	Fluorescent Red		218FRPX	
	Fluorescent Pink		218FPPX	
Black	Fluorescent Orange	3/4" (18mm)	218F0PX [†]	
	Fluorescent Yellow		218FYPX [†]	
	Fluorescent Green		218FGPX [†]	
ST	RONG ADHESIVE PO	LYESTER TAPE - 30	Oft (9m)	
		3/8" (9mm)	209IBWPX [†]	
	14/6-24 -	1/2" (12mm)	212IBWPX [†]	
	White	3/4" (18mm)	218IBWPX [†]	
Black		1" (24mm)	224IBWPX [†]	
DIACK		3/8" (9mm)	209IBYPX [†]	
	Yellow	1/2" (12mm)	212IBYPX [†]	
	tellow	3/4" (18mm)	218IBYPX [†]	
		1" (24mm)	224IBYPX [†]	
Gold	Clear	1/2" (12mm)	212GCPX [†]	
Golu	Black	1/2" (12mm)	212GBPX	
	VINYL TAP	E- 22.9ft (7m)		
		1/2" (12mm)	212VTBWPX**	
	White	3/4" (18mm)	218VTBWPX**	
D		1" (24mm)	224VTBWPX**	
Black		1/2" (12mm)	212VTBYPX**	
	Yellow	3/4" (18mm)	218VTBYPX**	
		1" (24mm)	224VTBYPX**	
VIN	YL SELF-LAMINATIN	G OVERWRAP - 26	.2ft (8m)	
Black	White	1" (24mm), 1/4" White, 3/4" Clear Tail	224VSLPX** [†]	

Wire wrap tape prints on white area and has a clear tail to overlap printed material.

EXTRA TOUGH NYLON TAPE - 19ft (5.8m)				
IMPRINT	TAPE	WIDTH	PART NUMBER	
	White	1/2" (12mm)	212NYLBWPX [†]	
Black		3/4" (18mm)	218NYLBWPX [†]	
		1" (24mm)	224NYLBWPX [†]	
t is recommended to cut nylon tape using scissors to prolong the life of your printer's built-in				

cutter.

DESIG	NE
Visit labelworks.epson.com/fo	or-l

MAGNETIC TAPE - 4.9ft (1.5m)					
IMPRINT	TAPE	WIDTH	PART NUMBER		
		1/2" (12mm)	212MTBWPX-4.9		
	White	3/4" (18mm)	218MTBWPX-4.9		
		1" (24mm)	224MTBWPX-4.9		
		1/2" (12mm)	212MTBYPX-4.9		
	Yellow	3/4" (18mm)	218MTBYPX-4.9		
		1" (24mm)	224MTBYPX-4.9		
	Red	1/2" (12mm)	212MTBRPX-4.9		
Black		3/4" (18mm)	218MTBRPX-4.9		
		1" (24mm)	224MTBRPX-4.9		
	Blue	1/2" (12mm)	212MTBBPX-4.9		
		3/4" (18mm)	218MTBBPX-4.9		
		1" (24mm)	224MTBBPX-4.9		
	Green	1/2" (12mm)	212MTBGPX-4.9		
		3/4" (18mm)	218MTBGPX-4.9		
		1" (24mm)	224MTBGPX-4.9		

It is recommended to cut magnetic tape using scissors to prolong the life of your printer's built-in cutter.

HEAT SHRINK TUBE - 98in (2.4m)					
IMPRINT	TAPE	Nominal Diameter	AWG	shrink Ratio	PART NUMBER
	Red	3/16" (4mm)	8-12	2:1	205STBRPX
		1/2" (12mm)	2-8	2:1	211STBRPX
	Yellow	1/8" (3mm)	16-22	3:1	203YLBYPX
		3/16" (4mm)	8-12	2:1	205STBYPX
		1/4" (6mm)	6-18	3:1	208B20BYPX**
		1/2" (12mm)	2-8	2:1	211STBYPX
Black	White	1/8" (3mm)	16-22	3:1	203YLBWPX
		3/16" (4mm)	8-12	2:1	205STBWPX
		1/4" (6mm)	6-18	3:1	208B20BWPX**
		3/8" (9mm) 90in/L	4-12	3:1	210STBWPX-90
		1/2" (12mm)	2-8	2:1	211STBWPX
		9/16" (14mm)	0-5	2:1	214STBWPX
	Blue	3/16" (4mm)	10-18	3:1	205YLBBPX
\A/I='4 -	Black	3/16" (4mm)	8-12	2:1	205STWBPX
White		1/2" (12mm)	2-8	2:1	211STWBPX

Compliance Standards: UL Standard 224 (Related Temperature: 125° C, Rated Voltage: 300V, Flame Resistance Grade WV-1). It is recommended to cut heat shrink tube using scissors to prolong the life of your printer's built-in cutter.

ENER COLLECTION

for-home/supplies.html to view our designer collection



GET IN TOUCH



Phone +1 800.458.3430 M-F 8am-4pm CST



Fax +1 888.865.2235



Email shop@labelworks.epson.com



Web labelworks.epson.com



Address PO Box 309, 370 SMC Drive Somerset, WI 54025

FOLLOW US

