


EPSON®



LW-K200PX-RDB



LW-K200PX-DBL

LW-K200PX

Cost-Effective • Intuitive • User-Friendly



4-18mm



LW-K200PX



Epson LabelWorks’ newest printer for home and hobbyists, the LW-K200PX puts high-quality label-making in the palm of your hand. Print labels up to 3/4” (18mm) using any Epson LabelWorks’ PX industrial or designer series labeling cartridge. The built-in keyboard makes label design simple, and our font selection lets you turn your creativity loose.

Snap in a cartridge of craft paper tape for scrapbooking or choose printable ribbon for festive occasions. Choose a clear tape for labeling kitchen containers or select durable standard tapes for tackling projects in the garage or attic.

COMPACT AND PORTABLE DESIGN

LW-K200PX works great as a stand-alone unit. The compact design makes labeling easy, even for small hands. The portability makes labeling anywhere more effortless than ever!

LABEL VARIETY



The Epson Labelworks Designer and Industrial PX tape supply collections have a variety of tape color and imprint color combinations. From bright and bold fluorescents, printable ribbon, to your basic black imprint on white.

SYMBOLS AND FONTS

This portable printer is loaded with over 800 cute and practical symbols. Pair your symbols with one of the 14 fonts in both serif and sans-serif, and 6 font style types. Customize your labels your way!

PERSONAL CUSTOMER SUPPORT

When you put your trust in Epson LabelWorks, you get direct access to our team of US-based product and labeling experts. Based in Somerset, Wisconsin, our customer support team is here to answer your questions, provide one-on-one training, and address any need you may have.

LIFETIME WARRANTY



Register your printer with us when you receive it, and you’re covered for as long as you own it. **100% Covered. Always. You break it. We replace it. For life.**

And this warranty isn’t some add-on service plan available at an additional cost. Instead, your warranty comes with your printer, so you’ll never have to worry about life if it happens to your printer.

AVAILABLE KITS



SKU: LW-K200PX-RDB

- Kit Includes:**
- LW-K200PX-RDB Printer
 - ½” (12mm) Black on White Cartridge (212BWPX)
 - Owners Manual
- (AA batteries not included)*



SKU: LW-K200PX-DBL

- Kit Includes:**
- LW-K200PX-DBL Printer
 - ½” (12mm) Black on White Cartridge (212BWPX)
 - Owners Manual
- (AA batteries not included)*

SPECIFICATIONS

PRINTING

Technology: Thermal Transfer
Tape Width: 1/6" - 3/4" (4-18mm)
Heat Shrink Tube Width: 1/8" - 3/16" (3-5mm)
Resolution: 180dpi
Printer Head Width: 9mm
Max Print Speed: 6mm/sec

HARDWARE

Cutter: Manual
Replaceable Cutter: N/A
LCD: Monochrome
Keyboard: QWERTY
Internal Memory: Up to 5 files
Drop-Stop & Pick-n-print: N/A
Detection: N/A

CONNECTIVITY

Interface: N/A
Compatible PC Software: N/A
Compatible Mac Software: N/A
Compatible Apps (iOS 9.0 or later Android 5.0 or later): N/A

POWER INFORMATION

AC Adapter: N/A
Battery: 6 AA Batteries *(batteries not included)*

PRINT SETTINGS

Repeat Printing: N/A
Auto Increment: N/A
Number Serialization: N/A
Label Transfer from PC Software: N/A
Store and Print Images: N/A
Mirror Printing: Yes
Mix-Length: N/A
Peel Guard Corner Rounder: N/A
Minimum Margins: Normal, 10mm - None, 1mm (w/ cut mark)
Vertical Printing: Yes
Cable Wrap: N/A
Flag: N/A
Patch Panel: N/A
Punch Block: N/A
Faceplate: N/A
Block 66: N/A
Barcodes: N/A
QR Code: N/A
Symbols: 821
Length: Auto or custom
of Fonts: 14
Frames: 69
Table: 4

Check LabelWorks.Epson.com for product updates, information, and current pricing



TAPE COMPATIBILITY: LW-K200PX

DESIGNER MATTE POLYESTER TAPE - 26ft (8m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black		1/2" (12mm)	212BMCPX
		3/4" (18mm)	218BMCPX
	Matte White	1/2" (12mm)	212BMWXPX
		3/4" (18mm)	218BMWXPX
	Matte Red	1/2" (12mm)	212BMRPX
		3/4" (18mm)	218BMRPX
	Matte Yellow	1/2" (12mm)	212BMYPX
		3/4" (18mm)	218BMYPX
	Matte Green	1/2" (12mm)	212BMGPX
		3/4" (18mm)	218BMGPX
	Matte Blue	1/2" (12mm)	212BMLPX
		3/4" (18mm)	218BMLPX
	Matte Light Gray	1/2" (12mm)	212BMGYPX
		3/4" (18mm)	218BMGYPX
Matte Beige	1/2" (12mm)	212BMBEPX	
	3/4" (18mm)	218BMBEPX	
White		1/2" (12mm)	212WMCPX
		3/4" (18mm)	218WMCPX
	Matte Black	1/2" (12mm)	212WMBPX
		3/4" (18mm)	218WMBPX
	Matte Navy	1/2" (12mm)	212WMNPX
		3/4" (18mm)	218WMNPX
	Matte Khaki	1/2" (12mm)	212WMKPX
		3/4" (18mm)	218WMKPX
SOFT COLOR TAPE - 26ft (8m)			
Gray	Soft Violet	1/2" (12mm)	212GSVPX
	Soft Blue		212GSBPX
	Soft Green		212GSGPX
	Soft Yellow		212GSYPX
	Soft Pink		212GSPPX
PEARLIZED POLYESTER TAPE - 30ft (9m)			
Black	Pearl Blue	1/2" (12mm)	212BPBPX†
	Pearl Green		212BPGPX†
	Pearl Red		212BPRPX†
SPECIAL COLOR TAPE - 26ft (9m)			
Black	Violet	1/2" (12mm)	212BVPX
METALLIC TAPE - 30ft (9m)			
Black	Metallic Silver	3/4" (18 mm)	218BMETSPX†
	Metallic Gold		218BMETGPX†
GOLD IMPRINT TAPE - 30ft (9m)			
Gold	Clear	3/4" (18mm)	218GCPX†
	Black	3/4" (18mm)	218GBPX
CRAFT PAPER TAPE - 16ft (5m)			
Black	Beige	1/2" (12mm)	212CPBBEPX
		3/4" (18mm)	218CPBBEPX



PRINTABLE RIBBON - 16ft (5m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Pink	1/2" (12mm)	212RBPPX
	Blue		212RBBPX
	Gold		212RBGPX
Gold	Navy	1/2" (12mm)	212RGNPX
	Red		212RGRPX



STRONG ADHESIVE TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	3/8" (9mm)	209IBWPX†
		1/2" (12mm)	212IBWPX†
		3/4" (18mm)	218IBWPX†
	Yellow	3/8" (9mm)	209IBYPX†
		1/2" (12mm)	212IBYPX†
		3/4" (18mm)	218IBYPX†
Gold	Clear	1/2" (12mm)	212GCPX†
	Black	1/2" (12mm)	212GBPX
EXTRA TOUGH NYLON TAPE - 19ft (5.8m)			
Black	White	1/2" (12mm)	212NYLBWPX†
		3/4" (18mm)	218NYLBWPX†

It is recommended to cut nylon tape using scissors to prolong the life of your printer's built-in cutter.

HEAT SHRINK TUBE - 98in (2.4m)					
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER
Black	Red	3/16" (4mm)	8-12	2:1	205STBRPX
	Yellow	1/8" (3mm)	16-22	3:1	203YLBYPX
		3/16" (4mm)	8-12	2:1	205STBYPX
		1/8" (3mm)	16-22	3:1	203YLBWPX
	Blue	3/16" (4mm)	8-12	2:1	205STBWPX
		3/16" (4mm)	10-18	3:1	205YLBBPX
White	Black	3/16" (4mm)	8-12	2:1	205STWBPX

Compliance Standards: UL Standard 224 (Related Temperature: 125° C, Rated Voltage: 300V, Flame Resistance Grade VW-1). It is recommended to cut heat shrink tube using scissors to prolong the life of your printer's built-in cutter.

** INDICATES THAT SUPPLY IS ALSO AVAILABLE IN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
† INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

INDUSTRIAL COLLECTION

STANDARD INDUSTRIAL TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Clear	1/4" (6mm)	206BCPX†
		3/8" (9mm)	209BCPX†
		1/2" (12mm)	212BCPX†
		3/4" (18mm)	218BCPX†
		3/4" (18mm)	218BTMPX
	Translucent Matte (limited supply)	3/4" (18mm)	218BTMPX
		1/6" (4mm)	204BWPX
		1/4" (6mm)	206BWPX†
		3/8" (9mm)	209BWPX**†
		1/2" (12mm)	212BWPX**†
	White	3/4" (18mm)	218BWPX**†
		1/4" (6mm)	206BYPX†
		3/8" (9mm)	209BYPX**†
		1/2" (12mm)	212BYPX**†
Black	Yellow	1/4" (6mm)	206BYPX†
		3/8" (9mm)	209BYPX**†
		1/2" (12mm)	212BYPX**†
	Green	3/4" (18mm)	218BYPX**†
		1/4" (6mm)	206BGPX†
		3/8" (9mm)	209BGPX†
	Blue	1/2" (12mm)	212BGPX†
		3/4" (18mm)	218BGPX†
		1/4" (6mm)	206BBPX†
	Red	3/8" (9mm)	209BBPX†
		1/2" (12mm)	212BBPX†
		3/4" (18mm)	218BBPX†
	Orange	1/4" (6mm)	206BRPX†
		3/8" (9mm)	209BRPX†
		1/2" (12mm)	212BRPX†
White	Orange	3/4" (18mm)	218BRPX†
		1/2" (12mm)	212BOPX
		3/4" (18mm)	218BOPX
	White Removable	1/2" (12mm)	212RAPX†
	Purple	3/4" (18mm)	218VVPX
	Matte Silver	3/8" (9mm)	209SMPX†
		1/2" (12mm)	212SMPX†
		3/4" (18mm)	218SMPX†
	Black	1/4" (6mm)	206WBPX†
		3/8" (9mm)	209WBPX†
		1/2" (12mm)	212WBPX†
	Vivid Red	3/4" (18mm)	218WBPX†
		1/2" (12mm)	212WRPX
		3/4" (18mm)	218WRPX
	Vivd Green	1/2" (12mm)	212WGPX
		3/4" (18mm)	218WGPX




STANDARD INDUSTRIAL TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
White	Vivid Blue	1/2" (12mm)	212WLPX
		3/4" (18mm)	218WLPX
	Clear	1/2" (12mm)	212WCPX†
		3/4" (18mm)	218WCPX†
Red	White	1/2" (12mm)	212RWPX†
MAGNETIC TAPE - 4.9ft (1.5m)			
Black	White	1/2" (12mm)	212MTBWPX-4.9
		3/4" (18mm)	218MTBWPX-4.9
	Yellow	1/2" (12mm)	212MTBYPX-4.9
		3/4" (18mm)	218MTBYPX-4.9
	Red	1/2" (12mm)	212MTBRPX-4.9
		3/4" (18mm)	218MTBRPX-4.9
	Blue	1/2" (12mm)	212MTBBPX-4.9
		3/4" (18mm)	218MTBBPX-4.9
Green	1/2" (12mm)	212MTBGPX-4.9	
	3/4" (18mm)	218MTBGPX-4.9	

It is recommended to cut magnetic tape using scissors to prolong the life of your printer's built-in cutter.

FLUORESCENT TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Fluorescent Red	3/4" (18mm)	218FRPX
	Fluorescent Pink		218FPPX
	Fluorescent Orange		218FOPX†
	Fluorescent Yellow		218FYPX†
	Fluorescent Green		218FGPX†
16ft (5m)			
Black	Fluorescent Red	1/2" (12mm)	212FRPX
	Fluorescent Pink		212FPPX
	Fluorescent Orange		212FOPX
	Fluorescent Yellow		212FYPX
	Fluorescent Green		212FGPX

1/2" (12mm) fluorescent tapes are part of the designer series and are only available for purchase on the ELWS store or Amazon.

VINYL TAPE - 22.9ft (7m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12mm)	212VTBWPX**
		3/4" (18mm)	218VTBWPX**
	Yellow	1/2" (12mm)	212VTBYPX**
		3/4" (18mm)	218VTBYPX**



Check LabelWorks.Epson.com for product updates, information, and current pricing



GET IN TOUCH



Phone
+1 800.458.3430
M-F 8am-4pm CST



Fax
+1 888.865.2235



Email
shop@labelworks.epson.com



Web
labelworks.epson.com



Address
PO Box 309, 370 SMC Drive
Somerset, WI 54025

FOLLOW US



EPSON®