

LABEL YOUR JOB YOUR WAY

Labeling Solutions from Epson LabelWorks





LABELING MATERIALS FOR EVERY APPLICATION

With more than 180 types of label media to choose from in the Epson LabelWorks' Industrial Collection, you have plenty of choices to suit your needs:

- If you need only labels up to 3/4" (18mm) choose from the LW-PX300 or LW-PX350.
- For slightly larger labels of up to 1" (24mm) check out the LW-PX400, LW-PX700 or LW-PX750.
- Or make a statement with wider formats with the LW-PX800 and LW-PX900 for labels of up to 1.5" (36mm), or for labels up to 2" (50mm) choose the LW-Z5000PX or LW-Z5010PX printers.

And you not only choose the color of the label media, you choose the imprint color as well! Of course, there's classic black. Now imagine beautifully bright imprints of red, white or gold on a host of rich dark or clear label media in several materials. Choose from printable heat shrink tube for wire and cable identification, printable magnetic tape perfect for refrigerators or magnetic whiteboards, and many other industrial-strength media options.

CONNECTIVITY, MOBILE APP-ENABLED

Epson LabelWorks printers are perfect for first-time or experienced labelers seeking the freedom to design and print labels on their mobile device. Use Epson's free mobile app, Label Editor Mobile, connected to your device via Bluetooth® or WiFi and you're ready to go!
(Bluetooth®: LW-PX400)
(WiFi: LW-Z5010PX, LW-Z5000PX, and LW-PX800)

SAFELY CUT LABELS AUTOMATICALLY

The convenient built-in automatic cutter in eight models safely cuts adhesive-backed labels perfectly – exactly where you want your labels cut.

SMALL MARGINS MEAN BIG SAVINGS!

You won't use excessive label tape with Epson LabelWorks. That's because Epson LabelWorks' LW-PX700, LW-PX750, LW-PX900, LW-Z5000PX, and LW-Z5010PX come equipped with "auto rewind" technology. The printer rewinds unused tape from the mouth of the cartridge prior to every print, reducing tape waste, creating 4mm lead margins, and 1mm label margins, unlike competing models that waste 1" of tape on every label. A little savings on each label adds up in a big way!

EPSON LABELWORKS LABEL PRINTERS AND SUPPLIES MAKE LABELING EASIER

From industrial inventory management to home organization and every labeling application in between.

ON THE JOB

On the job, Epson LabelWorks provides the tools you need for cable labeling and wire marking, safety labeling, general identification labels, inventory and asset management labeling, even labels for office organization.

LIFETIME WARRANTY

Let's face it. Life happens. Coffee gets spilled. Dogs chew on stuff. Things fall from shelves. No matter what happens to your Epson LabelWorks printer, you are covered. Contact Customer Support, send us the broken printer and we'll send you a brand new one. Easy-peasy.



THE IDEAL COMPANION FOR EVERY JOB

Epson LabelWorks is the ideal solution for:

- Cable/Wire ID
- Self-Lam/Wire Wrap
- Network Install
- Asset ID/Management
- Parts Bins
- Bar Codes/QR Codes
- Fuse Boxes/Circuit Breakers
- HVAC Controls
- Schematics
- Prototype ID
- Pipe Markers
- Tool/Parts Crib
- Specimen Labeling
- Test Tubes
- Pharmaceutical Supplies
- Quality Control Regulations
- Safety (OSHA/ANSI)
- Valves
- Piping/Tubing
- Control Panels
- Gym Lockers
- Library Shelves & Books
- Office Common Areas/Breakrooms

and MUCH MORE!

Every single Epson LabelWorks printer comes with an unmatched no-questions-asked lifetime warranty. If anything happens to your printer, no matter who's at fault, just contact customer support, send it back to us and you'll receive a brand new printer of the same model at no cost to you.

**LIFETIME
WARRANTY**

Check LabelWorks.Epson.com for product updates and information




LW-Z5010PX



LIFETIME WARRANTY

VARIETY OF LABELING SUPPLIES



LW-Z5010PX prints on every label supply and size that Epson LabelWorks has to offer. From 1/6" (4mm) to 2" (50mm), we have the size to fit your labeling needs.

POWERFUL DESIGN SOFTWARE



Create stunning, professional, customized labels using Epson's Label Editor Software. This powerful, intuitive label design software will make batch printing easy by loading spreadsheets, and comes loaded with hundreds of icons, symbols, and templates.

SCANNABLE LABEL



Easily Create Bar Codes and QR Codes in the stand-alone model, using Label Editor Software, or Label Editor Mobile App!

AVAILABLE KITS



SKU: LW-Z5010PX

- Kit Includes:**
- LW-Z5010PX Printer
 - 2" Black on White Vinyl Cartridge (250VTBWPX)
 - AC Adapter
 - USB Cable
 - Lithium-Ion Battery
 - Value Roll Media Stand
 - FREE Label Editor Software Download (Unlimited Licenses)



SKU: LW-Z5010PX-R


- Kit Includes:**
- LW-Z5010PX Printer
 - 2" Black on White Vinyl Cartridge (250VTBWPX)
 - Media Rewinder
 - AC Adapter
 - USB Cable
 - Lithium-Ion Battery
 - Value Roll Media Stand
 - FREE Label Editor Software Download (Unlimited Licenses)

VALUE BULK SUPPLY



Do you have large labeling jobs? Look no further than LW-Z5010PX's efficient, economic value bulk rolls that pack 147.6' (45m) of supply into one easy-to-use box.

VERSATILE CUTTING



Epson LabelWorks' LW-Z5010PX has the power to half-cut, or "kiss cut" label tape, keeping your labels all together on one convenient strand.

AUTOMATIC LABEL REWINDER



The LW-Z5010PX is compatible with Epson's label rewriter, which automatically winds labels in a convenient roll, saving tons of time rolling manually.








Check LabelWorks.Epson.com for product updates and information | See next page for tape compatibility >



See page 56 for technical specifications

STANDARD INDUSTRIAL POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Clear	1/4" (6mm)	206BCPX †
		3/8" (9mm)	209BCPX †
		1/2" (12mm)	212BCPX †
		3/4" (18mm)	218BCPX †
		1" (24mm)	224BCPX †
		1 1/2" (36mm)	236BCPX †
		2" (50mm) 26.2ft/L	250BCPX
	Translucentmatte (limited supply)	3/4" (18mm)	218BTMPX
	White	1/6" (4mm)	204BWPX
		1/4" (6mm)	206BWPX †
		3/8" (9mm)	209BWPX** †
		1/2" (12mm)	212BWPX** †
		3/4" (18mm)	218BWPX** †
		1" (24mm)	224BWPX** †
		1 1/2" (36mm)	236BWPX** †
		2" (50mm) 26.2ft/L	250BWPX**
	Yellow	1/4" (6mm)	206BYPX †
		3/8" (9mm)	209BYPX** †
		1/2" (12mm)	212BYPX** †
		3/4" (18mm)	218BYPX** †
		1" (24mm)	224BYPX** †
	Green	1 1/2" (36mm)	236BYPX** †
		2" (50mm) 26.2ft/L	250BYPX**
		1/4" (6mm)	206BGPX †
		3/8" (9mm)	209BGPX †
		1/2" (12mm)	212BGPX †
	Blue	3/4" (18mm)	218BGPX †
		1" (24mm)	224BGPX †
		1 1/2" (36mm)	236BGPX †
		2" (50mm) 26.2ft/L	250BGPX
	Red	1/4" (6mm)	206BRPX †
		3/8" (9mm)	209BRPX †
		1/2" (12mm)	212BRPX †
		3/4" (18mm)	218BRPX †
		1" (24mm)	224BRPX †
	Orange	1 1/2" (36mm)	236BRPX †
		2" (50mm) 26.2ft/L	250BRPX
		1/2" (12mm)	212BOPX
		3/4" (18mm)	218BOPX
		1" (24mm)	224BOPX
	White Removable	1 1/2" (36mm)	236BOPX
	Purple	1/2" (12mm)	212RAPX †
	Matte Silver	3/4" (18mm)	218BVPX
		3/8" (9mm)	209SMPX †
		1/2" (12mm)	212SMPX †
		3/4" (18mm)	218SMPX †
		1" (24mm)	224SMPX †
		1 1/2" (36mm)	236SMPX †

STANDARD INDUSTRIAL POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
White		1/4" (6mm)	206WBPX †
		3/8" (9mm)	209WBPX †
		1/2" (12mm)	212WBPX †
		3/4" (18mm)	218WBPX †
		1" (24mm)	224WBPX †
		1 1/2" (36mm)	236WBPX †
		1/2" (12mm)	212WRPX
		3/4" (18mm)	218WRPX
		1" (24mm)	224WRPX
		1 1/2" (36mm)	236WRPX
		1/2" (12mm)	212WGPX
		3/4" (18mm)	218WGPX
		1" (24mm)	224WGPX
		1/2" (12mm)	212WLPX
		3/4" (18mm)	218WLPX
		1" (24mm)	224WLPX
		1 1/2" (36mm)	236WLPX
1/2" (12mm)		212WCPX †	
3/4" (18mm)		218WCPX †	
	1" (24mm)	224WCPX †	
	Red	White	1/2" (12mm)
FLUORESCENT POLYESTER TAPE - 30ft (9m)			
	Fluorescent Red	3/4" (18mm)	218FRPX
	Fluorescent Pink		218FPPX
	Fluorescent Orange		218FOPX †
	Fluorescent Yellow		218FYPX †
	Fluorescent Green		218FGPX †
VINYL TAPE - 22.9ft (7m)			
		1/2" (12mm)	212VTBWPX**
		3/4" (18mm)	218VTBWPX**
		1" (24mm)	224VTBWPX**
		1 1/2" (36mm)	236VTBWPX**
		2" (50mm) 26.2"/L	250VTBWPX**
		1/2" (12mm)	212VTBYPX**
		3/4" (18mm)	218VTBYPX**
		1" (24mm)	224VTBYPX**
		1 1/2" (36mm)	236VTBYPX**
		2" (50mm) 26.2ft/L	250VTBYPX**
VINYL SELF-LAMINATING OVERWRAP - 26.2ft (8m)			
		1" (24mm), 1/4" White, 3/4" Clear Tail	224VSLPX**†
		1 1/2" (36mm), 1/2" White, 1" Clear Tail	236VSLPX**†
Wire wrap tape prints on white area and has a clear tail to overlap printed material.			
EXTRA TOUGH NYLON TAPE - 19ft (5.8m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
		1/2" (12mm)	212NYLBWPX †
		3/4" (18mm)	218NYLBWPX †
		1" (24mm)	224NYLBWPX †
It is recommended to cut nylon tape using scissors to prolong the life of your printer's built-in cutter.			

Wire wrap tape prints on white area and has a clear tail to overlap printedmaterial.

It is recommended to cut nylon tape using scissors to prolong the life of your printer's built-in cutter.



MAGNETIC TAPE - 4.9ft (1.5m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12mm)	212MTBWPX-4.9
		3/4" (18mm)	218MTBWPX-4.9
		1" (24mm)	224MTBWPX-4.9
		1 1/2" (36mm)	236MTBWPX-4.9
		2" (50mm) 26.2ft/L	250MTBWPX-4.9
	Yellow	1/2" (12mm)	212MTBYPX-4.9
		3/4" (18mm)	218MTBYPX-4.9
		1" (24mm)	224MTBYPX-4.9
	Red	1 1/2" (36mm)	236MTBYPX-4.9
		1/2" (12mm)	212MTBRPX-4.9
		3/4" (18mm)	218MTBRPX-4.9
	Blue	1" (24mm)	224MTBRPX-4.9
		1 1/2" (36mm)	236MTBRPX-4.9
		1/2" (12mm)	212MTBBPX-4.9
	Green	3/4" (18mm)	218MTBBPX-4.9
		1" (24mm)	224MTBBPX-4.9
		1 1/2" (36mm)	236MTBBPX-4.9

It is recommended to cutmagnetic tape using scissors to prolong the life of your printer's built-in cutter.

STANDARD INDUSTRIAL POLYESTER TAPE - 147.6ft (45m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	3/8" (9mm)	B209BWPX*
		1/2" (12mm)	B212BWPX*
		3/4" (18mm)	B218BWPX*
		1" (24mm)	B224BWPX*
		1 1/2" (36mm)	B236BWPX*
		2" (50mm)	B250BWPX*
	Yellow	3/8" (9mm)	B209BYPX*
		1/2" (12mm)	B212BYPX*
		3/4" (18mm)	B218BYPX*
		1" (24mm)	B224BYPX*
		1 1/2" (36mm)	B236BYPX*
		2" (50mm)	B250BYPX*
VINYL TAPE - 147.6ft (45m)			
Black	White	1/2" (12mm)	B212VTBWPX*
		3/4" (18mm)	B218VTBWPX*
		1" (24mm)	B224VTBWPX*
		1 1/2" (36mm)	B236VTBWPX*
		2" (50mm)	B250VTBWPX*
	Yellow	1/2" (12mm)	B212VTBYPX*
		3/4" (18mm)	B218VTBYPX*
		1" (24mm)	B224VTBYPX*
		1 1/2" (36mm)	B236VTBYPX*
		2" (50mm)	B250VTBYPX*

CONTINUOUS VINYL SELF-LAMINATING OVERWRAP - 147.6ft (45m)			
IMPRINT	TAPE	NOMINAL DIAMETER	PART NUMBER
Black	White	1" (24mm)	B224VSLPX* †
		1 1/2" (36mm)	B236VSLPX* †

Wire wrap tape prints on white area and has a clear tail to overlap printedmaterial.

HEAT SHRINK TUBE - 98in (2.4m)					
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER
Black	Red	3/16" (4mm)	8-12	2:1	205STBRPX
		1/2" (12mm)	2-8	2:1	211STBRPX
	Yellow	1/8" (3mm)	16-22	3:1	203YLBYPX
		3/16" (4mm)	8-12	2:1	205STBYPX
		1/4" (6mm)	6-18	3:1	208B20BYPX**
		1/2" (12mm)	2-8	2:1	211STBYPX
	White	7/8" (22mm)	0000-1	2:1	221STBYPX
		1/8" (3mm)	16-22	3:1	203YLBWPX
		3/16" (4mm)	8-12	2:1	205STBWPX
		1/4" (6mm)	6-18	3:1	208B20BWPX**
		3/8" (9mm) 90in/L	4-12	3:1	210STBWPX-90
		1/2" (12mm)	2-8	2:1	211STBWPX
		9/16" (14mm)	0-5	2:1	214STBWPX
		7/8" (22mm)	0000-1	2:1	221STBWPX
	Blue	3/16" (4mm)	10-18	3:1	205YLBBPX
White	Black	3/16" (4mm)	8-12	2:1	205STWBPX
		1/2" (12mm)	2-8	2:1	211STWBPX

Compliance Standards: UL Standard 224 (Related Temperature: 125° C, Rated Voltage: 300V, Flame Resistance Grade VW-1). It is recommended to cut heat shrink tube using scissors to prolong the life of your printer's built-in cutter.

STRONG ADHESIVE POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	3/8" (9mm)	209IBWPX †
		1/2" (12mm)	212IBWPX †
		3/4" (18mm)	218IBWPX †
		1" (24mm)	224IBWPX †
		1 1/2" (36mm)	236IBWPX †
	Yellow	2" (50mm)	250IBWPX
		3/8" (9mm)	209IBYPX †
		1/2" (12mm)	212IBYPX †
		3/4" (18mm)	218IBYPX †
		1" (24mm)	224IBYPX †
Gold	Clear	1 1/2" (36mm)	236IBYPX †
	Black	1/2" (12mm)	212GCPX †
			212GBPX

CONTINUOUS HEAT SHRINK TUBE - 49.2ft (15m)					
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER
Black	White	1/8" (3mm)	14-22	3:1	B203STBWPX*
		1/4" (6mm)	6-18	3:1	B208STBWPX*
	Yellow	1/8" (3mm)	14-22	3:1	B203STBYPX
		1/4" (6mm)	6-18	3:1	B208STBYPX
DIE-CUT HEAT SHRINK TUBE					
Black	White	1/8"x .98" (3mm x 25mm) ea 500 tubes/roll	14-22	3:1	BL203STBWx25PX
	Yellow				BL203STBYx25PX
	White	1/4"x1.38" (6mm x 35mm) ea 400 tubes/roll	6-18	3:1	BL208STBWx35PX
	Yellow				BL208STBYx35PX

DIE-CUT VINYL SELF-LAMINATING OVERWRAP			
IMPRINT	TAPE	NOMINAL DIAMETER	PART NUMBER
Black	White	.5"x.75" (13mm x 19mm) ea 2700 labels/roll	BVSL13X19PX
		.5"x1.5" (13mm x 38mm) ea 2700 labels/roll	BVSL13X38PX
		1"x1.5" (25mm x 38mm) ea 1500 labels/roll	BVSL25X38PX
		1.5"x1.5" (38mm x 38mm) ea 1000 labels/roll	BVSL38X38PX

Wire wrap tape prints on white area and has a clear tail to overlap printedmaterial.


Check LabelWorks.Epson.com for product updates and information

* INDICATES THAT SUPPLY IS ALSO AVAILABLE IN STANDARD CARTRIDGES
** INDICATES THAT SUPPLY IS ALSO AVAILABLE IN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
† INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

LW-Z5000PX




VARIETY OF LABELING SUPPLIES



LW-Z5000PX prints on every label supply and size that Epson LabelWorks has to offer. From 1/6" (4mm) to 2" (50mm), we have the size to fit your labeling needs.

POWERFUL DESIGN SOFTWARE



Create stunning, professional, customized labels using Epson's Label Editor Software. This powerful, intuitive label design software will make batch printing easy by loading spreadsheets, and comes loaded with hundreds of icons, symbols, and templates.

SCANNABLE LABELS



Easily Create Bar Codes and QR Codes, using Label Editor Software, or Label Editor Mobile App!

AVAILABLE KITS



SKU: LW-Z5000PX

- Kit Includes:**
- LW-Z5000PX Printer
 - 2" Black on White Vinyl Cartridge (250VTBWPX)
 - AC Adapter
 - USB Cable
 - Value Roll Media Stand
 - FREE Label Editor Software Download (Unlimited Licenses)



SKU: LW-Z5000PX-R


- Kit Includes:**
- LW-Z5000PX Printer
 - 2" Black on White Vinyl Cartridge (250VTBWPX)
 - Media Rewinder
 - AC Adapter
 - USB Cable
 - Value Roll Media Stand
 - FREE Label Editor Software Download (Unlimited Licenses)

VALUE BULK SUPPLY




Do you have large labeling jobs? Look no further than LW-Z5000PX's efficient, economic value bulk rolls that pack 147.6' (45m) of supply into one easy-to-use box.

VERSATILE CUTTING



Epson LabelWorks' LW-Z5000PX has the power to half-cut, or "kiss cut" label tape, keeping your labels all together on one convenient strand.

AUTOMATIC LABEL REWINDER



The LW-Z5000PX is compatible with Epson's label rewriter, which automatically winds labels in a convenient roll, saving tons of time rolling manually.



Check LabelWorks.Epson.com for product updates and information | See next page for tape compatibility >



See page 56 for technical specifications



STANDARD INDUSTRIAL POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Clear	1/4" (6mm)	206BCPX †
		3/8" (9mm)	209BCPX †
		1/2" (12mm)	212BCPX †
		3/4" (18mm)	218BCPX †
		1" (24mm)	224BCPX †
		1 1/2" (36mm)	236BCPX †
	Translucentmatte (limited supply)	2" (50mm) 26.2ft/L	250BCPX
		3/4" (18mm)	218BTMPX
	White	1/6" (4mm)	204BWPX
		1/4" (6mm)	206BWPX †
		3/8" (9mm)	209BWPX** †
		1/2" (12mm)	212BWPX** †
		3/4" (18mm)	218BWPX** †
		1" (24mm)	224BWPX** †
		1 1/2" (36mm)	236BWPX** †
		2" (50mm) 26.2ft/L	250BWPX**
		1/4" (6mm)	206BYPX †
	Yellow	3/8" (9mm)	209BYPX** †
		1/2" (12mm)	212BYPX** †
		3/4" (18mm)	218BYPX** †
		1" (24mm)	224BYPX** †
		1 1/2" (36mm)	236BYPX** †
	Green	2" (50mm) 26.2ft/L	250BYPX**
		1/4" (6mm)	206BGPX †
		3/8" (9mm)	209BGPX †
		1/2" (12mm)	212BGPX †
		3/4" (18mm)	218BGPX †
	Blue	1" (24mm)	224BGPX †
		1 1/2" (36mm)	236BGPX †
		2" (50mm) 26.2ft/L	250BGPX
		1/4" (6mm)	206BBPX †
		3/8" (9mm)	209BBPX †
	Red	1/2" (12mm)	212BBPX †
		3/4" (18mm)	218BBPX †
		1" (24mm)	224BBPX †
		1 1/2" (36mm)	236BBPX †
		2" (50mm) 26.2ft/L	250BBPX
	Orange	1/4" (6mm)	206BRPX †
		3/8" (9mm)	209BRPX †
		1/2" (12mm)	212BRPX †
		3/4" (18mm)	218BRPX †
		1" (24mm)	224BRPX †
	White Removable	1 1/2" (36mm)	236BRPX †
		2" (50mm) 26.2ft/L	250BRPX
		1/2" (12mm)	212BOPX
		3/4" (18mm)	218BOPX
		1" (24mm)	224BOPX
	Purple	1 1/2" (36mm)	236BOPX
		1/2" (12mm)	212RAPX †
		3/4" (18mm)	218BVPX
		3/8" (9mm)	209SMPX †
		1/2" (12mm)	212SMPX †
	Matte Silver	3/4" (18mm)	218SMPX †
		1" (24mm)	224SMPX †
		1 1/2" (36mm)	236SMPX †

STANDARD INDUSTRIAL POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
White	Black	1/4" (6mm)	206WBPX †
		3/8" (9mm)	209WBPX †
		1/2" (12mm)	212WBPX †
		3/4" (18mm)	218WBPX †
		1" (24mm)	224WBPX †
		1 1/2" (36mm)	236WBPX †
	Vivid Red	1/2" (12mm)	212WRPX
		3/4" (18mm)	218WRPX
		1" (24mm)	224WRPX
		1 1/2" (36mm)	236WRPX
	Vivd Green	1/2" (12mm)	212WGPX
		3/4" (18mm)	218WGPX
		1" (24mm)	224WGPX
	Vivid Blue	1/2" (12mm)	212WLPX
		3/4" (18mm)	218WLPX
		1" (24mm)	224WLPX
	Clear	1 1/2" (36mm)	236WLPX
		1/2" (12mm)	212WCPX †
	Red	3/4" (18mm)	218WCPX †
		1" (24mm)	224WCPX †

FLUORESCENT POLYESTER TAPE - 30ft (9m)			
Black	Fluorescent Red	3/4" (18mm)	218FRPX
	Fluorescent Pink		218FPPX
	Fluorescent Orange		218FOPX †
	Fluoescent Yellow		218FYPX †
	Fluoescent Green		218FGPX †

VINYL TAPE - 22.9ft (7m)			
Black	White	1/2" (12mm)	212VTBWPX**
		3/4" (18mm)	218VTBWPX**
		1" (24mm)	224VTBWPX**
		1 1/2" (36mm)	236VTBWPX**
		2" (50mm) 26.2"/L	250VTBWPX**
		1/2" (12mm)	212VTBYPX**
	Yellow	3/4" (18mm)	218VTBYPX**
		1" (24mm)	224VTBYPX**
		1 1/2" (36mm)	236VTBYPX**
		2" (50mm) 26.2ft/L	250VTBYPX**
		1/2" (12mm)	212VTBWPX**
		3/4" (18mm)	218VTBWPX**

VINYL SELF-LAMINATING OVERWRAP - 26.2ft (8m)			
Black	White	1" (24mm), 1/4" White, 3/4" Clear Tail	224VSLPX** †
		1 1/2" (36mm), 1/2" White, 1" Clear Tail	236VSLPX** †

Wire wrap tape prints on white area and has a clear tail to overlap printedmaterial.

EXTRA TOUGH NYLON TAPE - 19ft (5.8m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12mm)	212NYLBWPX †
		3/4" (18mm)	218NYLBWPX †
		1" (24mm)	224NYLBWPX †

It is recommended to cut nylon tape using scissors to prolong the life of your printer's built-in cutter.



MAGNETIC TAPE - 4.9ft (1.5m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12mm)	212MTBWPX-4.9
		3/4" (18mm)	218MTBWPX-4.9
		1" (24mm)	224MTBWPX-4.9
		1 1/2" (36mm)	236MTBWPX-4.9
		2" (50mm) 26.2ft/L	250MTBWPX-4.9
	Yellow	1/2" (12mm)	212MTBYPX-4.9
		3/4" (18mm)	218MTBYPX-4.9
		1" (24mm)	224MTBYPX-4.9
		1 1/2" (36mm)	236MTBYPX-4.9
	Red	1/2" (12mm)	212MTBRPX-4.9
		3/4" (18mm)	218MTBRPX-4.9
		1" (24mm)	224MTBRPX-4.9
		1 1/2" (36mm)	236MTBRPX-4.9
	Blue	1/2" (12mm)	212MTBBPX-4.9
		3/4" (18mm)	218MTBBPX-4.9
		1" (24mm)	224MTBBPX-4.9
		1 1/2" (36mm)	236MTBBPX-4.9
	Green	1/2" (12mm)	212MTBGPX-4.9
		3/4" (18mm)	218MTBGPX-4.9
		1" (24mm)	224MTBGPX-4.9

It is recommended to cutmagnetic tape using scissors to prolong the life of your printer's built-in cutter.

STANDARD INDUSTRIAL POLYESTER TAPE - 147.6ft (45m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	3/8" (9mm)	B209BWPX*
		1/2" (12mm)	B212BWPX*
		3/4" (18mm)	B218BWPX*
		1" (24mm)	B224BWPX*
		1 1/2" (36mm)	B236BWPX*
		2" (50mm)	B250BWPX*
	Yellow	3/8" (9mm)	B209BYPX*
		1/2" (12mm)	B212BYPX*
		3/4" (18mm)	B218BYPX*
		1" (24mm)	B224BYPX*
		1 1/2" (36mm)	B236BYPX*
		2" (50mm)	B250BYPX*
VINYL TAPE - 147.6ft (45m)			
Black	White	1/2" (12mm)	B212VTBWPX*
		3/4" (18mm)	B218VTBWPX*
		1" (24mm)	B224VTBWPX*
		1 1/2" (36mm)	B236VTBWPX*
		2" (50mm)	B250VTBWPX*
	Yellow	1/2" (12mm)	B212VTBYPX*
		3/4" (18mm)	B218VTBYPX*
		1" (24mm)	B224VTBYPX*
		1 1/2" (36mm)	B236VTBYPX*
		2" (50mm)	B250VTBYPX*

CONTINUOUS VINYL SELF-LAMINATING OVERWRAP - 147.6ft (45m)			
IMPRINT	TAPE	NOMINAL DIAMETER	PART NUMBER
Black	White	1" (24mm)	B224VSLPX* †
		1 1/2" (36mm)	B236VSLPX* †

Wire wrap tape prints on white area and has a clear tail to overlap printedmaterial.

HEAT SHRINK TUBE - 98in (2.4m)					
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER
Black	Red	3/16" (4mm)	8-12	2:1	205STBRPX
		1/2" (12mm)	2-8	2:1	211STBRPX
	Yellow	1/8" (3mm)	16-22	3:1	203YLBYPX
		3/16" (4mm)	8-12	2:1	205STBYPX
		1/4" (6mm)	6-18	3:1	208B20BYPX**
		1/2" (12mm)	2-8	2:1	211STBYPX
	White	7/8" (22mm)	0000-1	2:1	221STBYPX
		1/8" (3mm)	16-22	3:1	203YLBWPIX
		3/16" (4mm)	8-12	2:1	205STBWPIX
		1/4" (6mm)	6-18	3:1	208B20BWPIX**
		3/8" (9mm) 90in/L	4-12	3:1	210STBWPIX-90
		1/2" (12mm)	2-8	2:1	211STBWPIX
		9/16" (14mm)	0-5	2:1	214STBWPIX
		7/8" (22mm)	0000-1	2:1	221STBWPIX
	Blue	3/16" (4mm)	10-18	3:1	205YLBBPX
White	Black	3/16" (4mm)	8-12	2:1	205STWBPIX
		1/2" (12mm)	2-8	2:1	211STWBPIX

Compliance Standards: UL Standard 224 (Related Temperature: 125° C, Rated Voltage: 300V, Flame Resistance Grade VW-1). It is recommended to cut heat shrink tube using scissors to prolong the life of your printer's built-in cutter.

STRONG ADHESIVE POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	3/8" (9mm)	209IBWPX †
		1/2" (12mm)	212IBWPX †
		3/4" (18mm)	218IBWPX †
		1" (24mm)	224IBWPX †
		1 1/2" (36mm)	236IBWPX †
		2" (50mm)	250IBWPX
	Yellow	3/8" (9mm)	209IBYPX †
		1/2" (12mm)	212IBYPX †
		3/4" (18mm)	218IBYPX †
		1" (24mm)	224IBYPX †
		1 1/2" (36mm)	236IBYPX †
		2" (50mm)	250IBYPX
Gold	Clear	1/2" (12mm)	212GCPX †
	Black	1/2" (12mm)	212GBPX

CONTINUOUS HEAT SHRINK TUBE - 49.2ft (15m)					
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER
Black	White	1/8" (3mm)	14-22	3:1	B203STBWPX*
		1/4" (6mm)	6-18	3:1	B208STBWPX*
	Yellow	1/8" (3mm)	14-22	3:1	B203STBYPX
		1/4" (6mm)	6-18	3:1	B208STBYPX

DIE-CUT HEAT SHRINK TUBE					
Black	White	1/8"x.98" (3mm x 25mm) ea 500 tubes/roll	14-22	3:1	BL203STBWx25PX
	Yellow	1/4"x1.38" (6mm x 35mm) ea 400 tubes/roll	6-18	3:1	BL203STBYx25PX
	White	1/4"x1.38" (6mm x 35mm) ea 400 tubes/roll	6-18	3:1	BL208STBWx35PX
	Yellow	1/4"x1.38" (6mm x 35mm) ea 400 tubes/roll	6-18	3:1	BL208STBYx35PX

DIE-CUT VINYL SELF-LAMINATING OVERWRAP			
IMPRINT	TAPE	NOMINAL DIAMETER	PART NUMBER
Black	White	.5"x.75" (13mm x 19mm) ea 2700 labels/roll	BVSL13X19PX
		.5"x1.5" (13mm x 38mm) ea 2700 labels/roll	BVSL13X38PX
		1"x1.5" (25mm x 38mm) ea 1500 labels/roll	BVSL25X38PX
		1.5"x1.5" (38mm x 38mm) ea 1000 labels/roll	BVSL38X38PX

Wire wrap tape prints on white area and has a clear tail to overlap printedmaterial.

*INDICATES THAT SUPPLY IS ALSO AVAILABLEIN STANDARD CARTRIDGES
**INDICATES THAT SUPPLY IS ALSO AVAILABLEIN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
†INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

LW-PX900




LIFETIME WARRANTY

See page 57 for technical specifications

POWERFUL DESIGN SOFTWARE

 LW-PX900 works great as a stand-alone unit, or connected to a PC, using Epson's Label Editor Software. Create professional, custom labels that stand out either way!

VERSATILE CUTTING

 Epson LabelWorks' LW-PX900 has the power to half-cut or "kiss cut" label tape, keeping your labels all together on one convenient strand.

SCANNABLE LABELING

 LW-PX900 can produce bar codes and QR Codes using the stand-alone unit, or connected to a PC.

AVAILABLE KITS




Kit Includes:


- LW-PX900 Printer
- ½" Black on White Polyester Cartridge (212BWPX)
- AC Adapter
- FREE Label Editor Software Download (Unlimited Licenses)

SKU: LW-PX900

AUTOMATED LABELING PROJECTS

 Industrial hot keys simplify and automate complicated labeling projects, and speed up productivity. Choose from many wire marking applications like patch panels and punch block.

REDUCED TAPE WASTE

 LW-PX900 can produce the tightest labels in the business, reducing tape waste with every label printed. The printer pulls the tape tail back into the cartridge prior to print to minimize leading margins to as short as 4mm, much smaller than many competitors' margins that can exceed 1".



Kit Includes:

- LW-PX900 Printer
- ½" Black on White VINYL Cartridge (212VTBWPX)
- AC Adapter
- USB Cable
- Lithium-Ion Battery
- Magnetic Attachments
- Heavy-Duty Plastic Case
- FREE Label Editor Software Download (Unlimited Licenses)

SKU: LW-PX900PCD

Check LabelWorks.Epson.com for product updates and information | See next page for tape compatibility >



STANDARD INDUSTRIAL POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Clear	1/4" (6mm)	206BCPX †
		3/8" (9mm)	209BCPX †
		1/2" (12mm)	212BCPX †
		3/4" (18mm)	218BCPX †
		1" (24mm)	224BCPX †
		1 1/2" (36mm)	236BCPX †
	Translucentmatte (limited supply)	3/4" (18mm)	218BTMPX
	White	1/6" (4mm)	204BWPX
		1/4" (6mm)	206BWPX †
		3/8" (9mm)	209BWPX**†
		1/2" (12mm)	212BWPX**†
		3/4" (18mm)	218BWPX**†
		1" (24mm)	224BWPX**†
		1 1/2" (36mm)	236BWPX**†
		1/4" (6mm)	206BYPX †
	Yellow	3/8" (9mm)	209BYPX**†
		1/2" (12mm)	212BYPX**†
		3/4" (18mm)	218BYPX**†
		1" (24mm)	224BYPX**†
		1 1/2" (36mm)	236BYPX**†
	Green	1/4" (6mm)	206BGPX †
		3/8" (9mm)	209BGPX †
		1/2" (12mm)	212BGPX †
		3/4" (18mm)	218BGPX †
		1" (24mm)	224BGPX †
	Blue	1/4" (6mm)	206BBPX †
		3/8" (9mm)	209BBPX †
		1/2" (12mm)	212BBPX †
		3/4" (18mm)	218BBPX †
		1" (24mm)	224BBPX †
	Red	1/4" (6mm)	206BRPX †
		3/8" (9mm)	209BRPX †
		1/2" (12mm)	212BRPX †
		3/4" (18mm)	218BRPX †
		1" (24mm)	224BRPX †
	Orange	1 1/2" (36mm)	236BRPX †
		1/2" (12mm)	212BOPX
		3/4" (18mm)	218BOPX
	Orange	1" (24mm)	224BOPX
		1 1/2" (36mm)	236BOPX
	White Removable	1/2" (12mm)	212RAPX †
	Purple	3/4" (18mm)	218BVPX
	Matte Silver	3/8" (9mm)	209SMPX †
		1/2" (12mm)	212SMPX †
		3/4" (18mm)	218SMPX †
		1" (24mm)	224SMPX †
		1 1/2" (36mm)	236SMPX †

STANDARD INDUSTRIAL POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
White	Black	1/4" (6mm)	206WBPX †
		3/8" (9mm)	209WBPX †
		1/2" (12mm)	212WBPX †
		3/4" (18mm)	218WBPX †
		1" (24mm)	224WBPX †
		1 1/2" (36mm)	236WBPX †
		1/2" (12mm)	212WRPX
	Vivid Red	3/4" (18mm)	218WRPX
		1" (24mm)	224WRPX
		1 1/2" (36mm)	236WRPX
	Vivd Green	1/2" (12mm)	212WGPX
		3/4" (18mm)	218WGPX
		1" (24mm)	224WGPX
	Vivid Blue	1/2" (12mm)	212WLPX
		3/4" (18mm)	218WLPX
		1" (24mm)	224WLPX
	Clear	1 1/2" (36mm)	236WLPX
		1/2" (12mm)	212WCPX †
		3/4" (18mm)	218WCPX †
		1" (24mm)	224WCPX †
Red	White	1/2" (12mm)	212RWPX †



LW-PX800



LIFETIME WARRANTY

4-36mm

See page 57 for technical specifications

POWERFUL DESIGN SOFTWARE




LW-PX800 is driven by Label Editor Software (PC), Label Editor Lite (Mac) and Label Editor Mobile App, and prints a crisp, clear 360 dpi resolution for professionally designed labels. These applications make for a powerful little printer.

TRIMMABLE CORNERS




Give your labels a longer life by rounding the corners. Prevent snags and peeling by using LW-PX800's built-in corner trimmer.

VERSATILE CUTTING



Epson LabelWorks' LW-PX800 has the power to half-cut, or "kiss cut" label tape, keeping your labels all together on one convenient strand.

VARIETY OF LABELING SUPPLIES



Print on all PX industrial materials with LW-PX800. Heat Shrink Tube, Magnetic, Vinyl, Nylon, and Polyester up to 1-1/2" (36mm).

AVAILABLE KITS



SKU: LW-PX800

- Kit Includes:**
- LW-PX800 Printer
 - 1/2" Black on White Cartridge (212BWPX)
 - AC Adapter
 - USB Cable
 - FREE Label Editor Software Download (Unlimited Licenses)

MULTIPLE USER CAPABILITIES



Multiple labelers in your facility? No problem! LW-PX800 can be networked to multiple users through wired LAN or a wireless LAN network.

LARGE BATCH LABELING




Connect LW-PX800 to either Epson's Label Editor Software OR Label Editor Mobile App to print labels directly from a spreadsheet. Press print once to print hundreds of labels in random order, sequenced, with icons or images - the possibilities are endless.

SCANNABLE LABEL



Easily Create Bar Codes and QR Codes using Label Editor Software, Label Editor Lite (Mac) or Label Editor Mobile App!

Check LabelWorks.Epson.com for product updates and information | See next page for tape compatibility >



STANDARD INDUSTRIAL POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Clear	1/4" (6mm)	206BCPX †
		3/8" (9mm)	209BCPX †
		1/2" (12mm)	212BCPX †
		3/4" (18mm)	218BCPX †
		1" (24mm)	224BCPX †
		1 1/2" (36mm)	236BCPX †
	Transluentmatte (limited supply)	3/4" (18mm)	218BTMPX
	White	1/6" (4mm)	204BWPX
		1/4" (6mm)	206BWPX †
		3/8" (9mm)	209BWPX**†
		1/2" (12mm)	212BWPX**†
		3/4" (18mm)	218BWPX**†
		1" (24mm)	224BWPX**†
	Yellow	1 1/2" (36mm)	236BWPX**†
		1/4" (6mm)	206BYPX †
		3/8" (9mm)	209BYPX**†
		1/2" (12mm)	212BYPX**†
		3/4" (18mm)	218BYPX**†
		1" (24mm)	224BYPX**†
	Green	1 1/2" (36mm)	236BGPX †
		1/4" (6mm)	206BGPX †
		3/8" (9mm)	209BGPX †
		1/2" (12mm)	212BGPX †
		3/4" (18mm)	218BGPX †
		1" (24mm)	224BGPX †
	Blue	1 1/2" (36mm)	236BGPX †
		1/4" (6mm)	206BBPX †
		3/8" (9mm)	209BBPX †
		1/2" (12mm)	212BBPX †
		3/4" (18mm)	218BBPX †
		1" (24mm)	224BBPX †
	Red	1 1/2" (36mm)	236BBPX †
		1/4" (6mm)	206BRPX †
		3/8" (9mm)	209BRPX †
		1/2" (12mm)	212BRPX †
		3/4" (18mm)	218BRPX †
		1" (24mm)	224BRPX †
	Orange	1 1/2" (36mm)	236BRPX †
		1/2" (12mm)	212BOPX
		3/4" (18mm)	218BOPX
	White Removable	1" (24mm)	224BOPX
		1 1/2" (36mm)	236BOPX
		1 1/2" (36mm)	236BOPX
	White Removable	1/2" (12mm)	212RAPX †
	Purple	3/4" (18mm)	218BVPX
	Matte Silver	3/8" (9mm)	209SMPX †
		1/2" (12mm)	212SMPX †
		3/4" (18mm)	218SMPX †
		1" (24mm)	224SMPX †
	Matte Silver	1 1/2" (36mm)	236SMPX †
		1 1/2" (36mm)	236SMPX †

STANDARD INDUSTRIAL POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
White	Black	1/4" (6mm)	206WBPX †
		3/8" (9mm)	209WBPX †
		1/2" (12mm)	212WBPX †
		3/4" (18mm)	218WBPX †
		1" (24mm)	224WBPX †
		1 1/2" (36mm)	236WBPX †
	Vivid Red	1/2" (12mm)	212WRPX
		3/4" (18mm)	218WRPX
		1" (24mm)	224WRPX
		1 1/2" (36mm)	236WRPX
	Vivd Green	1/2" (12mm)	212WGPX
		3/4" (18mm)	218WGPX
		1" (24mm)	224WGPX
		1 1/2" (36mm)	236WGPX
	Vivid Blue	1/2" (12mm)	212WLPX
		3/4" (18mm)	218WLPX
		1" (24mm)	224WLPX
		1 1/2" (36mm)	236WLPX
	Clear	1/2" (12mm)	212WCPX †
		3/4" (18mm)	218WCPX †
		1" (24mm)	224WCPX †
		1 1/2" (36mm)	236WCPX †
Red	White	1/2" (12mm)	212RWPX †



*INDICATES THAT SUPPLY IS ALSO AVAILABLE IN STANDARD CARTRIDGES
**INDICATES THAT SUPPLY IS ALSO AVAILABLE IN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
†INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

FLUORESCENT POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Fluorescent Red	3/4" (18mm)	218FRPX
	Fluorescent Pink		218FPPX
	Fluorescent Orange		218FOPX †
	Fluorescent Yellow		218FYPX †
	Fluorescent Green		218FGPX †
STRONG ADHESIVE POLYESTER TAPE - 30ft (9m)			
Black	White	3/8" (9mm)	209IBWPX †
		1/2" (12mm)	212IBWPX †
		3/4" (18mm)	218IBWPX †
		1" (24mm)	224IBWPX †
		1 1/2" (36mm)	236IBWPX †
	Yellow	3/8" (9mm)	209IBYPX †
		1/2" (12mm)	212IBYPX †
		3/4" (18mm)	218IBYPX †
		1" (24mm)	224IBYPX †
		1 1/2" (36mm)	236IBYPX †
Gold	Clear	1/2" (12mm)	212GCPX †
	Black	1/2" (12mm)	212GBPX
	VINYL TAPE - 22.9ft (7m)		
Black	White	1/2" (12mm)	212VTBWPX**
		3/4" (18mm)	218VTBWPX**
		1" (24mm)	224VTBWPX**
		1 1/2" (36mm)	236VTBWPX**
	Yellow	1/2" (12mm)	212VTBYPX**
		3/4" (18mm)	218VTBYPX**
		1" (24mm)	224VTBYPX**
		1 1/2" (36mm)	236VTBYPX**
VINYL SELF-LAMINATING OVERWRAP - 26.2ft (8m)			
Black	White	1" (24mm), 1/4" White, 3/4" Clear Tail	224VSLPX**†
		1 1/2" (36mm), 1/2" White, 1" Clear Tail	236VSLPX**†

Wire wrap tape prints on white area and has a clear tail to overlap printed material.

EXTRA TOUGH NYLON TAPE - 19ft (5.8m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12mm)	212NYLBWPX †
		3/4" (18mm)	218NYLBWPX †
		1" (24mm)	224NYLBWPX †

It is recommended to cut nylon tape using scissors to prolong the life of your printer's built-in cutter.

MAGNETIC TAPE - 4.9ft (1.5m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12mm)	212MTBWPX-4.9
		3/4" (18mm)	218MTBWPX-4.9
		1" (24mm)	224MTBWPX-4.9
		1 1/2" (36mm)	236MTBWPX-4.9
	Yellow	1/2" (12mm)	212MTBYPX-4.9
		3/4" (18mm)	218MTBYPX-4.9
		1" (24mm)	224MTBYPX-4.9
		1 1/2" (36mm)	236MTBYPX-4.9
	Red	1/2" (12mm)	212MTBRPX-4.9
		3/4" (18mm)	218MTBRPX-4.9
		1" (24mm)	224MTBRPX-4.9
		1 1/2" (36mm)	236MTBRPX-4.9
	Blue	1/2" (12mm)	212MTBBPX-4.9
		3/4" (18mm)	218MTBBPX-4.9
		1" (24mm)	224MTBBPX-4.9
		1 1/2" (36mm)	236MTBBPX-4.9
	Green	1/2" (12mm)	212MTBGPX-4.9
		3/4" (18mm)	218MTBGPX-4.9
		1" (24mm)	224MTBGPX-4.9
		1 1/2" (36mm)	236MTBGPX-4.9

It is recommended to cut magnetic tape using scissors to prolong the life of your printer's built-in cutter.

HEAT SHRINK TUBE - 98in (2.4m)					
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER
Black	Red	3/16" (4mm)	8-12	2:1	205STBRPX
		1/2" (12mm)	2-8	2:1	211STBRPX
	Yellow	1/8" (3mm)	16-22	3:1	203YLBYPX
		3/16" (4mm)	8-12	2:1	205STBYPX
		1/4" (6mm)	6-18	3:1	208B20BYPX**
		1/2" (12mm)	2-8	2:1	211STBYPX
		7/8" (22mm)	0000-1	2:1	221STBYPX
	White	1/8" (3mm)	16-22	3:1	203YLBWPX
		3/16" (4mm)	8-12	2:1	205STBWPX
		1/4" (6mm)	6-18	3:1	208B20BWPX**
		3/8" (9mm) 90in/L	4-12	3:1	210STBWPX-90
		1/2" (12mm)	2-8	2:1	211STBWPX
		9/16" (14mm)	0-5	2:1	214STBWPX
		7/8" (22mm)	0000-1	2:1	221STBWPX
		7/8" (22mm)	0000-1	2:1	221STBWPX
	Blue	3/16" (4mm)	10-18	3:1	205YLBBPX
White	Black	3/16" (4mm)	8-12	2:1	205STWBPX
		1/2" (12mm)	2-8	2:1	211STWBPX

Compliance Standards: UL Standard 224 (Related Temperature: 125° C, Rated Voltage: 300V, Flame Resistance Grade VW-1). It is recommended to cut heat shrink tube using scissors to prolong the life of your printer's built-in cutter.

LW-PX750



LIFETIME WARRANTY

 TAPE

4-24mm

 Auto-cut

 Half-cut

 Bar Code

 PC

Use with

 QR Code

 Trimmer





See page 58 for technical specifications

LW-PX750



LW-PX750 works great as a stand-alone unit, or connected to a PC, using Epson's Label Editor Software. Create professional, custom labels that stand out either way!

AUTOMATED LABELING PROJECTS



Industry-specific hot keys make complicated projects a breeze by automating tedious formatting.

IMPORT CUSTOM IMAGES



Import logos and images to the stand-alone machine from your PC, and take your branding everywhere you go!

TRIMMABLE CORNERS



Give your labels a longer life by rounding the corners. Prevent snags and peeling by using LW-PX750's built-in corner trimmer.

AVAILABLE KITS



SKU: LW-PX750

- Kit Includes:**
- LW-PX750 Printer
 - ½" Black on White Cartridge (212BW PX)
 - AC Adapter
 - FREE Label Editor Software Download (Unlimited Licenses)




SKU: LW-PX750PCD

- Kit Includes:**
- LW-PX750 Printer
 - ½" Black on White VINYL Cartridge (212VTBWPX)
 - AC Adapter
 - USB Cable
 - Semi-Soft Carrying Case
 - FREE Label Editor Software Download (Unlimited Licenses)


Check LabelWorks.Epson.com for product updates and information | See next page for tape compatibility >

REDUCED TAPE WASTE



LW-PX750 can produce the tightest labels in the business, reducing tape waste with every label printed. The printer pulls the tape tail back into the cartridge prior to print to minimize leading margins to as short as 4mm.

VERSATILE CUTTING



Epson LabelWorks' LW-PX750 has the power to half-cut, or "kiss cut" label tape, keeping your labels all together on one convenient strand.

SPECIAL CHARACTERS









Use the accents and special characters key to make multi-lingual labels. LW-PX750 also comes pre-loaded with 14 fonts for a designer touch.

SCANNABLE LABEL







LW-PX750 can produce bar codes and QR Codes using the stand-alone unit, or connected to a PC.

STANDARD INDUSTRIAL POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black		1/4" (6mm)	206BCPX †
		3/8" (9mm)	209BCPX †
		1/2" (12mm)	212BCPX †
		3/4" (18mm)	218BCPX †
		1" (24mm)	224BCPX †
	Translucentmatte (limited supply)	3/4" (18mm)	218BTMPX
		1/6" (4mm)	204BWPX
		1/4" (6mm)	206BWPX †
		3/8" (9mm)	209BWPX**†
		1/2" (12mm)	212BWPX**†
		3/4" (18mm)	218BWPX**†
		1" (24mm)	224BWPX**†
		1/4" (6mm)	206BYPX †
		3/8" (9mm)	209BYPX**†
		1/2" (12mm)	212BYPX**†
		3/4" (18mm)	218BYPX**†
		1" (24mm)	224BYPX**†
		1/4" (6mm)	206BGPX †
		3/8" (9mm)	209BGPX †
		1/2" (12mm)	212BGPX †
		3/4" (18mm)	218BGPX †
		1" (24mm)	224BGPX †
		1/4" (6mm)	206BBPX †
		3/8" (9mm)	209BBPX †
		1/2" (12mm)	212BBPX †
		3/4" (18mm)	218BBPX †
		1" (24mm)	224BBPX †
		1/4" (6mm)	206BRPX †
		3/8" (9mm)	209BRPX †
		1/2" (12mm)	212BRPX †
		3/4" (18mm)	218BRPX †
		1" (24mm)	224BRPX †
		1/2" (12mm)	212BOPX
		3/4" (18mm)	218BOPX
		1" (24mm)	224BOPX
		1/2" (12mm)	212BOPX
		White Removable	212RAPX †
		Purple	218BVPX
		3/8" (9mm)	209SMPX †
		1/2" (12mm)	212SMPX †
		3/4" (18mm)	218SMPX †
		1" (24mm)	224SMPX †

STANDARD INDUSTRIAL POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
White		1/4" (6mm)	206WBPX †
		3/8" (9mm)	209WBPX †
		1/2" (12mm)	212WBPX †
		3/4" (18mm)	218WBPX †
		1" (24mm)	224WBPX †
		1/2" (12mm)	212WRPX
		3/4" (18mm)	218WRPX
		1" (24mm)	224WRPX
		1/2" (12mm)	212WGPX
		3/4" (18mm)	218WGPX
		1" (24mm)	224WGPX
		1/2" (12mm)	212WLPX
		3/4" (18mm)	218WLPX
		1" (24mm)	224WLPX
		1/2" (12mm)	212WCPX †
		3/4" (18mm)	218WCPX †
		1" (24mm)	224WCPX †
Red		White	212RWPX †




FLUORESCENT POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black		3/4" (18mm)	218FRPX
			218FPPX
			218FOPX †
			218FYPX †
			218FGPX †
STRONG ADHESIVE POLYESTER TAPE- 30ft (9m)			
Black		3/8" (9mm)	209IBWPX †
		1/2" (12mm)	212IBWPX †
		3/4" (18mm)	218IBWPX †
		1" (24mm)	224IBWPX †
		3/8" (9mm)	209IBYPX †
		1/2" (12mm)	212IBYPX †
		3/4" (18mm)	218IBYPX †
		1" (24mm)	224IBYPX †
Gold		1/2" (12mm)	212GCPX †
		1/2" (12mm)	212GBPX
VINYL TAPE - 22.9ft (7m)			
Black		1/2" (12mm)	212VTBWPX**
		3/4" (18mm)	218VTBWPX**
		1" (24mm)	224VTBWPX**
		1/2" (12mm)	212VTBYPX**
		3/4" (18mm)	218VTBYPX**
		1" (24mm)	224VTBYPX**
VINYL SELF-LAMINATING OVERWRAP - 26.2ft (8m)			
Black	White	1" (24mm), 1/4" White, 3/4" Clear Tail	224VSLPX**†

Wire wrap tape prints on white area and has a clear tail to overlap printedmaterial.

EXTRA TOUGH NYLON TAPE - 19ft (5.8m)			
Black		1/2" (12mm)	212NYLBWPX †
		3/4" (18mm)	218NYLBWPX †
		1" (24mm)	224NYLBWPX †

It is recommended to cut nylon tape using scissors to prolong the life of your printer's built-in cutter.

MAGNETIC TAPE - 4.9ft (1.5m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black		1/2" (12mm)	212MTBWPX-4.9
		3/4" (18mm)	218MTBWPX-4.9
		1" (24mm)	224MTBWPX-4.9
		1/2" (12mm)	212MTBYPX-4.9
		3/4" (18mm)	218MTBYPX-4.9
		1" (24mm)	224MTBYPX-4.9
		1/2" (12mm)	212MTBRPX-4.9
		3/4" (18mm)	218MTBRPX-4.9
		1" (24mm)	224MTBRPX-4.9
		1/2" (12mm)	212MTBBPX-4.9
		3/4" (18mm)	218MTBBPX-4.9
		1" (24mm)	224MTBBPX-4.9
		1/2" (12mm)	212MTBGPX-4.9
		3/4" (18mm)	218MTBGPX-4.9
		1" (24mm)	224MTBGPX-4.9

It is recommended to cutmagnetic tape using scissors to prolong the life of your printer's built-in cutter.

HEAT SHRINK TUBE - 98in (2.4m)					
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER
Black		3/16" (4mm)	8-12	2:1	205STBRPX
		1/2" (12mm)	2-8	2:1	211STBRPX
		1/8" (3mm)	16-22	3:1	203YLBYPX
		3/16" (4mm)	8-12	2:1	205STBYPX
		1/4" (6mm)	6-18	3:1	208B20BYPX**
		1/2" (12mm)	2-8	2:1	211STBYPX
		1/8" (3mm)	16-22	3:1	203YLBWPX
		3/16" (4mm)	8-12	2:1	205STBWPX
		1/4" (6mm)	6-18	3:1	208B20BWPX**
		3/8" (9mm) 90in/L	4-12	3:1	210STBWPX-90
		1/2" (12mm)	2-8	2:1	211STBWPX
		9/16" (14mm)	0-5	2:1	214STBWPX
		1" (24mm)	0-5	2:1	214STBWPX
		3/16" (4mm)	10-18	3:1	205YLBWPX
		3/16" (4mm)	8-12	2:1	205STWBPX
		1/2" (12mm)	2-8	2:1	211STWBPX
White					

Compliance Standards: UL Standard 224 (Related Temperature: 125° C, Rated Voltage: 300V, Flame Resistance Grade VW-1). It is recommended to cut heat shrink tube using scissors to prolong the life of your printer's built-in cutter.

*INDICATES THAT SUPPLY IS ALSO AVAILABLEIN STANDARD CARTRIDGES
**INDICATES THAT SUPPLY IS ALSO AVAILABLEIN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
†INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

STANDARD INDUSTRIAL POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Clear	1/4" (6mm)	206BCPX †
		3/8" (9mm)	209BCPX †
		1/2" (12mm)	212BCPX †
		3/4" (18mm)	218BCPX †
		1" (24mm)	224BCPX †
	Translucentmatte (limited supply)	3/4" (18mm)	218BTMPX
	White	1/6" (4mm)	204BWPX
		1/4" (6mm)	206BWPX †
		3/8" (9mm)	209BWPX** †
		1/2" (12mm)	212BWPX** †
		3/4" (18mm)	218BWPX** †
		1" (24mm)	224BWPX** †
		1/4" (6mm)	206BYPX †
	Yellow	3/8" (9mm)	209BYPX** †
		1/2" (12mm)	212BYPX** †
		3/4" (18mm)	218BYPX** †
		1" (24mm)	224BYPX** †
	Green	1/4" (6mm)	206BGPX †
		3/8" (9mm)	209BGPX †
		1/2" (12mm)	212BGPX †
		3/4" (18mm)	218BGPX †
	Blue	1" (24mm)	224BGPX †
		1/4" (6mm)	206BBPX †
		3/8" (9mm)	209BBPX †
		1/2" (12mm)	212BBPX †
	Red	3/4" (18mm)	218BBPX †
		1" (24mm)	224BBPX †
		1/4" (6mm)	206BRPX †
		3/8" (9mm)	209BRPX †
	Orange	1/2" (12mm)	212BRPX †
		3/4" (18mm)	218BRPX †
		1" (24mm)	224BRPX †
		1/2" (12mm)	212BOPX
	White Removable	3/4" (18mm)	218BOPX
		1" (24mm)	224BOPX
		1/2" (12mm)	212RAPX †
	Purple	3/4" (18mm)	218BVPX
	Matte Silver	3/8" (9mm)	209SMPX †
		1/2" (12mm)	212SMPX †
		3/4" (18mm)	218SMPX †
		1" (24mm)	224SMPX †

STANDARD INDUSTRIAL POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
White	Black	1/4" (6mm)	206WBPX †
		3/8" (9mm)	209WBPX †
		1/2" (12mm)	212WBPX †
		3/4" (18mm)	218WBPX †
		1" (24mm)	224WBPX †
		1/2" (12mm)	212WRPX
	Vivid Red	3/4" (18mm)	218WRPX
		1" (24mm)	224WRPX
	Vivd Green	1/2" (12mm)	212WGPX
		3/4" (18mm)	218WGPX
	Vivid Blue	1" (24mm)	224WGPX
		1/2" (12mm)	212WLPX
		3/4" (18mm)	218WLPX
	Clear	1" (24mm)	224WLPX
		1/2" (12mm)	212WCPX †
		3/4" (18mm)	218WCPX †
Red	White	1" (24mm)	224WCPX †
		1/2" (12mm)	212RWPX †



FLUORESCENT POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Fluorescent Red	3/4" (18mm)	218FRPX
	Fluorescent Pink		218FPPX
	Fluorescent Orange		218FOPX†
	Fluorescent Yellow		218FYPX†
	Fluorescent Green		218FGPX†
STRONG ADHESIVE POLYESTER TAPE - 30ft (9m)			
Black	White	3/8" (9mm)	209IBWPX †
		1/2" (12mm)	212IBWPX †
		3/4" (18mm)	218IBWPX †
		1" (24mm)	224IBWPX †
	Yellow	3/8" (9mm)	209IBYPX †
		1/2" (12mm)	212IBYPX †
		3/4" (18mm)	218IBYPX †
		1" (24mm)	224IBYPX †
Gold	Clear	1/2" (12mm)	212GCPX †
	Black	1/2" (12mm)	212GBPX
VINYL TAPE- 22.9ft (7m)			
Black	White	1/2" (12mm)	212VTBWPX**
		3/4" (18mm)	218VTBWPX**
		1" (24mm)	224VTBWPX**
	Yellow	1/2" (12mm)	212VTBYPX**
		3/4" (18mm)	218VTBYPX**
		1" (24mm)	224VTBYPX**
VINYL SELF-LAMINATING OVERWRAP - 26.2ft (8m)			
Black	White	1" (24mm), 1/4" White, 3/4" Clear Tail	224VSLPX**†
Wire wrap tape prints on white area and has a clear tail to overlap printed material.			
EXTRA TOUGH NYLON TAPE - 19ft (5.8m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12mm)	212NYLBWPX†
		3/4" (18mm)	218NYLBWPX†
		1" (24mm)	224NYLBWPX†

Wire wrap tape prints on white area and has a clear tail to overlap printedmaterial.

EXTRA TOUGH NYLON TAPE - 19ft (5.8m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12mm)	212NYLBWPX †
		3/4" (18mm)	218NYLBWPX †
		1" (24mm)	224NYLBWPX †

It is recommended to cut nylon tape using scissors to prolong the life of your printer's built-in cutter.

MAGNETIC TAPE - 4.9ft (1.5m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12mm)	212MTBWPX-4.9
		3/4" (18mm)	218MTBWPX-4.9
		1" (24mm)	224MTBWPX-4.9
	Yellow	1/2" (12mm)	212MTBYPX-4.9
		3/4" (18mm)	218MTBYPX-4.9
		1" (24mm)	224MTBYPX-4.9
	Red	1/2" (12mm)	212MTBRPX-4.9
		3/4" (18mm)	218MTBRPX-4.9
		1" (24mm)	224MTBRPX-4.9
	Blue	1/2" (12mm)	212MTBBPX-4.9
		3/4" (18mm)	218MTBBPX-4.9
	Green	1" (24mm)	224MTBBPX-4.9
		1/2" (12mm)	212MTBGPX-4.9
		3/4" (18mm)	218MTBGPX-4.9
		1" (24mm)	224MTBGPX-4.9

It is recommended to cutmagnetic tape using scissors to prolong the life of your printer's built-in cutter.

HEAT SHRINK TUBE - 98In (2.4m)					
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER
Black	Red	3/16" (4mm)	8-12	2:1	205STBRPX
		1/2" (12mm)	2-8	2:1	211STBRPX
	Yellow	1/8" (3mm)	16-22	3:1	203YLBYPX
		3/16" (4mm)	8-12	2:1	205STBYPX
		1/4" (6mm)	6-18	3:1	208B20BYPX**
		1/2" (12mm)	2-8	2:1	211STBYPX
	White	1/8" (3mm)	16-22	3:1	203YLBWPX
		3/16" (4mm)	8-12	2:1	205STBWPX
		1/4" (6mm)	6-18	3:1	208B20BWPX**
		3/8" (9mm) 90in/L	4-12	3:1	210STBWPX-90
		1/2" (12mm)	2-8	2:1	211STBWPX
		9/16" (14mm)	0-5	2:1	214STBWPX
		3/16" (4mm)	10-18	3:1	205YLBBPX
	Blue	3/16" (4mm)	10-18	3:1	205YLBBPX
	Black	3/16" (4mm)	8-12	2:1	205STWBPX
		1/2" (12mm)	2-8	2:1	211STWBPX
White					

Compliance Standards: UL Standard 224 (Related Temperature: 125° C, Rated Voltage: 300V, Flame Resistance Grade VW-1). It is recommended to cut heat shrink tube using scissors to prolong the life of your printer's built-in cutter.

*INDICATES THAT SUPPLY IS ALSO AVAILABLEIN STANDARD CARTRIDGES
**INDICATES THAT SUPPLY IS ALSO AVAILABLEIN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
†INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

STANDARD INDUSTRIAL POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Clear	1/4" (6mm)	206BCPX †
		3/8" (9mm)	209BCPX †
		1/2" (12mm)	212BCPX †
		3/4" (18mm)	218BCPX †
		1" (24mm)	224BCPX †
	Translucentmatte (limited supply)	3/4" (18mm)	218BTMPX
	White	1/6" (4mm)	204BWPX
		1/4" (6mm)	206BWPX †
		3/8" (9mm)	209BWPX** †
		1/2" (12mm)	212BWPX** †
		3/4" (18mm)	218BWPX** †
		1" (24mm)	224BWPX** †
		1/4" (6mm)	206BYPX †
	Yellow	3/8" (9mm)	209BYPX** †
		1/2" (12mm)	212BYPX** †
		3/4" (18mm)	218BYPX** †
		1" (24mm)	224BYPX** †
	Green	1/4" (6mm)	206BGPX †
		3/8" (9mm)	209BGPX †
		1/2" (12mm)	212BGPX †
		3/4" (18mm)	218BGPX †
	Blue	1" (24mm)	224BGPX †
		1/4" (6mm)	206BBPX †
		3/8" (9mm)	209BBPX †
		1/2" (12mm)	212BBPX †
	Red	3/4" (18mm)	218BBPX †
		1" (24mm)	224BBPX †
		1/4" (6mm)	206BRPX †
		3/8" (9mm)	209BRPX †
	Orange	1/2" (12mm)	212BRPX †
		3/4" (18mm)	218BRPX †
		1" (24mm)	224BRPX †
		1/2" (12mm)	212BOPX
	White Removable	3/4" (18mm)	218BOPX
		1" (24mm)	224BOPX
		1/2" (12mm)	212RAPX †
	Purple	3/4" (18mm)	218BVPX
	Matte Silver	3/8" (9mm)	209SMPX †
		1/2" (12mm)	212SMPX †
		3/4" (18mm)	218SMPX †
		1" (24mm)	224SMPX †

STANDARD INDUSTRIAL POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
White	Black	1/4" (6mm)	206WBPX †
		3/8" (9mm)	209WBPX †
		1/2" (12mm)	212WBPX †
		3/4" (18mm)	218WBPX †
		1" (24mm)	224WBPX †
		1/2" (12mm)	212WRPX
	Vivid Red	3/4" (18mm)	218WRPX
		1" (24mm)	224WRPX
	Vivd Green	1/2" (12mm)	212WGPX
		3/4" (18mm)	218WGPX
	Vivid Blue	1" (24mm)	224WGPX
		1/2" (12mm)	212WLPX
		3/4" (18mm)	218WLPX
	Clear	1" (24mm)	224WLPX
		1/2" (12mm)	212WCPX †
		3/4" (18mm)	218WCPX †
Red	White	1" (24mm)	224WCPX †
		1/2" (12mm)	212RWPX †



FLUORESCENT POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Fluorescent Red	3/4" (18mm)	218FRPX
	Fluorescent Pink		218FPPX
	Fluorescent Orange		218FOPX†
	Fluorescent Yellow		218FYPX†
	Fluorescent Green		218FGPX†
STRONG ADHESIVE POLYESTER TAPE - 30ft (9m)			
Black	White	3/8"(9mm)	209IBWPX †
		1/2"(12mm)	212IBWPX †
		3/4"(18mm)	218IBWPX †
		1"(24mm)	224IBWPX †
	Yellow	3/8"(9mm)	209IBYPX †
		1/2"(12mm)	212IBYPX †
		3/4"(18mm)	218IBYPX †
		1"(24mm)	224IBYPX †
Gold	Clear	1/2"(12mm)	212GCPX †
	Black	1/2"(12mm)	212GBPX
VINYL TAPE- 22.9ft (7m)			
Black	White	1/2"(12mm)	212VTBWPX**
		3/4"(18mm)	218VTBWPX**
		1"(24mm)	224VTBWPX**
	Yellow	1/2"(12mm)	212VTBYPX**
		3/4"(18mm)	218VTBYPX**
		1"(24mm)	224VTBYPX**
VINYL SELF-LAMINATING OVERWRAP - 26.2ft (8m)			
Black	White	1"(24mm), 1/4" White, 3/4" Clear Tail	224VSLPX**†
Wire wrap tape prints on white area and has a clear tail to overlap printed material.			
EXTRA TOUGH NYLON TAPE - 19ft (5.8m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2"(12mm)	212NYLBWPX†
		3/4"(18mm)	218NYLBWPX†
		1"(24mm)	224NYLBWPX†

Wire wrap tape prints on white area and has a clear tail to overlap printedmaterial.

EXTRA TOUGH NYLON TAPE - 19ft (5.8m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12mm)	212NYLBWPX †
		3/4" (18mm)	218NYLBWPX †
		1" (24mm)	224NYLBWPX †

It is recommended to cut nylon tape using scissors to prolong the life of your printer's built-in cutter.

MAGNETIC TAPE - 4.9ft (1.5m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12mm)	212MTBWPX-4.9
		3/4" (18mm)	218MTBWPX-4.9
		1" (24mm)	224MTBWPX-4.9
	Yellow	1/2" (12mm)	212MTBYPX-4.9
		3/4" (18mm)	218MTBYPX-4.9
		1" (24mm)	224MTBYPX-4.9
	Red	1/2" (12mm)	212MTBRPX-4.9
		3/4" (18mm)	218MTBRPX-4.9
		1" (24mm)	224MTBRPX-4.9
	Blue	1/2" (12mm)	212MTBBPX-4.9
		3/4" (18mm)	218MTBBPX-4.9
	Green	1" (24mm)	224MTBBPX-4.9
		1/2" (12mm)	212MTBGPX-4.9
		3/4" (18mm)	218MTBGPX-4.9
		1" (24mm)	224MTBGPX-4.9

It is recommended to cutmagnetic tape using scissors to prolong the life of your printer's built-in cutter.

HEAT SHRINK TUBE - 98In (2.4m)					
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER
Black	Red	3/16" (4mm)	8-12	2:1	205STBRPX
		1/2" (12mm)	2-8	2:1	211STBRPX
	Yellow	1/8" (3mm)	16-22	3:1	203YLBYPX
		3/16" (4mm)	8-12	2:1	205STBYPX
		1/4" (6mm)	6-18	3:1	208B20BYPX**
		1/2" (12mm)	2-8	2:1	211STBYPX
	White	1/8" (3mm)	16-22	3:1	203YLBWPX
		3/16" (4mm)	8-12	2:1	205STBWPX
		1/4" (6mm)	6-18	3:1	208B20BWPX**
		3/8" (9mm) 90in/L	4-12	3:1	210STBWPX-90
		1/2" (12mm)	2-8	2:1	211STBWPX
		9/16" (14mm)	0-5	2:1	214STBWPX
		3/16" (4mm)	10-18	3:1	205YLBBPX
	Blue	3/16" (4mm)	8-12	2:1	205STWBPX
	Black	3/16" (4mm)	8-12	2:1	205STWBPX
		1/2" (12mm)	2-8	2:1	211STWBPX
White					

Compliance Standards: UL Standard 224 (Related Temperature: 125° C, Rated Voltage: 300V, Flame Resistance Grade VW-1). It is recommended to cut heat shrink tube using scissors to prolong the life of your printer's built-in cutter.

*INDICATES THAT SUPPLY IS ALSO AVAILABLEIN STANDARD CARTRIDGES
**INDICATES THAT SUPPLY IS ALSO AVAILABLEIN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
†INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

LW-PX400



LIFETIME WARRANTY

 **4-24mm**

 Auto-cut

 Bar Code

 PC Use with

 QR Code


 Bluetooth



 LIFETIME WARRANTY

See page 59 for technical specifications

MOBILE APP ENABLED



Connecting to Label Editor Mobile is easy peasy! Simply activate your bluetooth, select LW-PX400 from the drop-down menu, then select your printer from the Bluetooth Menu in Label Editor Mobile, and begin creating your labels!

POWERFUL DESIGN SOFTWARE

LW-PX400 is driven by Label Editor Software (PC), Label Editor Lite (Mac) and Label Editor Mobile App. These applications make for a powerful little printer!

AVAILABLE KITS



SKU: LW-PX400

- Kit Includes:**
- LW-PX400 Printer
 - 1/2" Black on White VINYL Cartridge (212VTBWPX)
 - AC Adapter
 - USB Cable
 - Rubber Guard
 - FREE Label Editor Software Download (Unlimited Licenses)

MULTIPLE USER CAPABILITIES



Multiple labelers in your office? No problem. LW-PX400 has the capability to connect to multiple users, so that everyone on your team can label with ease.

LARGE BATCH LABELING



Large batch labeling? Connect LW-PX400 to either Epson's Label Editor Software OR Label Editor Mobile App to print labels directly from a spreadsheet. Press print once, to print labels in random order, sequenced, with icons or images - the possibilities are endless.




SCANNABLE LABELS




Bar Codes and QR Codes are easy and efficient using Label Editor Software, Label Editor Lite (Mac) the Label Editor Mobile app!

Check LabelWorks.Epson.com for product updates and information | See next page for tape compatibility >



STANDARDINDUSTRIAL POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black		1/4" (6mm)	206BCPX †
		3/8" (9mm)	209BCPX †
		1/2" (12mm)	212BCPX †
		3/4" (18mm)	218BCPX †
		1" (24mm)	224BCPX †
	Translucentmatte (limited supply)	3/4" (18mm)	218BTMPX
		1/6" (4mm)	204BWPX
		1/4" (6mm)	206BWPX †
		3/8" (9mm)	209BWPX** †
		1/2" (12mm)	212BWPX** †
		3/4" (18mm)	218BWPX** †
		1" (24mm)	224BWPX** †
		1/4" (6mm)	206BYPX †
		3/8" (9mm)	209BYPX** †
		1/2" (12mm)	212BYPX** †
		3/4" (18mm)	218BYPX** †
		1" (24mm)	224BYPX** †
		1/4" (6mm)	206BGPX †
		3/8" (9mm)	209BGPX †
		1/2" (12mm)	212BGPX †
		3/4" (18mm)	218BGPX †
		1" (24mm)	224BGPX †
		1/4" (6mm)	206BBPX †
		3/8" (9mm)	209BBPX †
		1/2" (12mm)	212BBPX †
		3/4" (18mm)	218BBPX †
		1" (24mm)	224BBPX †
		1/4" (6mm)	206BRPX †
		3/8" (9mm)	209BRPX †
		1/2" (12mm)	212BRPX †
		3/4" (18mm)	218BRPX †
		1" (24mm)	224BRPX †
		1/2" (12mm)	212BOPX
		3/4" (18mm)	218BOPX
		1" (24mm)	224BOPX
	White Removable	1/2" (12mm)	212RAPX †
	Purple	3/4" (18mm)	218BVPX
		3/8" (9mm)	209SMPX †
		1/2" (12mm)	212SMPX †
		3/4" (18mm)	218SMPX †
		1" (24mm)	224SMPX †

STANDARDINDUSTRIAL POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
White		1/4" (6mm)	206WBPX †
		3/8" (9mm)	209WBPX †
		1/2" (12mm)	212WBPX †
		3/4" (18mm)	218WBPX †
		1" (24mm)	224WBPX †
		1/2" (12mm)	212WRPX
		3/4" (18mm)	218WRPX
		1" (24mm)	224WRPX
		1/2" (12mm)	212WGPX
		3/4" (18mm)	218WGPX
		1" (24mm)	224WGPX
		1/2" (12mm)	212WLPX
		3/4" (18mm)	218WLPX
		1" (24mm)	224WLPX
		1/2" (12mm)	212WCPX †
		3/4" (18mm)	218WCPX †
		1" (24mm)	224WCPX †
Red	White	1/2" (12mm)	212RWPX †




FLUORESCENT POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Fluorescent Red	3/4" (18mm)	218FRPX
	Fluorescent Pink		218FPPX
	Fluorescent Orange		218FOPX †
	Fluorescent Yellow		218FYPX †
	Fluorescent Green		218FGPX †
STRONG ADHESIVE POLYESTER TAPE - 30ft (9m)			
Black	White	3/8" (9mm)	209IBWPX †
		1/2" (12mm)	212IBWPX †
		3/4" (18mm)	218IBWPX †
		1" (24mm)	224IBWPX †
	Yellow	3/8" (9mm)	209IBYPX †
		1/2" (12mm)	212IBYPX †
		3/4" (18mm)	218IBYPX †
		1" (24mm)	224IBYPX †
Gold	Clear	1/2" (12mm)	212GCPX †
	Black	1/2" (12mm)	212GBPX
VINYL TAPE - 22.9ft (7m)			
Black	White	1/2" (12mm)	212VTBWPX**
		3/4" (18mm)	218VTBWPX**
		1" (24mm)	224VTBWPX**
	Yellow	1/2" (12mm)	212VTBYPX**
		3/4" (18mm)	218VTBYPX**
		1" (24mm)	224VTBYPX**
VINYL SELF-LAMINATING OVERWRAP - 26.2ft (8m)			
Black	White	1" (24mm), 1/4" White, 3/4" Clear Tail	224VSLPX** †




Wire wrap tape prints on white area and has a clear tail to overlap printedmaterial.

EXTRA TOUGH NYLON TAPE - 19ft (5.8m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black		1/2" (12mm)	212NYLBWPX †
		3/4" (18mm)	218NYLBWPX †
		1" (24mm)	224NYLBWPX †

It is recommended to cut nylon tape using scissors to prolong the life of your printer's built-in cutter.

MAGNETIC TAPE - 4.9ft (1.5m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black		1/2" (12mm)	212MTBWPX-4.9
		3/4" (18mm)	218MTBWPX-4.9
		1" (24mm)	224MTBWPX-4.9
		1/2" (12mm)	212MTBYPX-4.9
		3/4" (18mm)	218MTBYPX-4.9
		1" (24mm)	224MTBYPX-4.9
		1/2" (12mm)	212MTBRPX-4.9
		3/4" (18mm)	218MTBRPX-4.9
		1" (24mm)	224MTBRPX-4.9
		1/2" (12mm)	212MTBBPX-4.9
		3/4" (18mm)	218MTBBPX-4.9
		1" (24mm)	224MTBBPX-4.9
		1/2" (12mm)	212MTBGPX-4.9
		3/4" (18mm)	218MTBGPX-4.9
		1" (24mm)	224MTBGPX-4.9

It is recommended to cutmagnetic tape using scissors to prolong the life of your printer's built-in cutter.

HEAT SHRINK TUBE - 98in (2.4m)					
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER
Black		3/16" (4mm)	8-12	2:1	205STBRPX
		1/2" (12mm)	2-8	2:1	211STBRPX
		1/8" (3mm)	16-22	3:1	203YLBYPX
		3/16" (4mm)	8-12	2:1	205STBYPX
		1/4" (6mm)	6-18	3:1	208B20BYPX**
		1/2" (12mm)	2-8	2:1	211STBYPX
		1/8" (3mm)	16-22	3:1	203YLBWPX
		3/16" (4mm)	8-12	2:1	205STBWPX
		1/4" (6mm)	6-18	3:1	208B20BWPX**
		3/8" (9mm) 90in/L	4-12	3:1	210STBWPX-90
		1/2" (12mm)	2-8	2:1	211STBWPX
		9/16" (14mm)	0-5	2:1	214STBWPX
		3/16" (4mm)	10-18	3:1	205YLBBPX
		3/16" (4mm)	8-12	2:1	205STWBPX
		1/2" (12mm)	2-8	2:1	211STWBPX
White					

Compliance Standards: UL Standard 224 (Related Temperature: 125° C, Rated Voltage: 300V, Flame Resistance Grade VW-1). It is recommended to cut heat shrink tube using scissors to prolong the life of your printer's built-in cutter.

*INDICATES THAT SUPPLY IS ALSO AVAILABLEIN STANDARD CARTRIDGES
**INDICATES THAT SUPPLY IS ALSO AVAILABLEIN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
†INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

LW-PX350



LIFETIME WARRANTY



See page 59 for technical specifications



LW-PX350




An intuitive QWERTY keyboard makes labeling easy with LW-PX350. It also comes equipped with an easy drop-in cartridge bay and integrated handle for simple use and portability.



FORMATS AND SYMBOLS

A_α 9_β 1_γ 2_δ 3_ε 4_ζ 5_η 6_θ 7_ι 8_κ 9_λ 10_μ 11_ν 12_ξ 13_ο 14_π 15_ρ 16_σ 17_τ 18_υ 19_φ 20_χ 21_ψ 22_ω 23_Α 24_Β 25_Γ 26_Δ 27_Ε 28_Ζ 29_Η 30_Θ 31_Ι 32_Κ 33_Λ 34_Μ 35_Ν 36_Ξ 37_Ο 38_Π 39_Ρ 40_Σ 41_Τ 42_Υ 43_Φ 44_Χ 45_Ψ 46_Ω 47_α 48_β 49_γ 50_δ 51_ε 52_ζ 53_η 54_θ 55_ι 56_κ 57_λ 58_μ 59_ν 60_ξ 61_ο 62_π 63_ρ 64_σ 65_τ 66_υ 67_φ 68_χ 69_ψ 70_ω 71_Α 72_Β 73_Γ 74_Δ 75_Ε 76_Ζ 77_Η 78_Θ 79_Ι 80_Κ 81_Λ 82_Μ 83_Ν 84_Ξ 85_Ο 86_Π 87_Ρ 88_Σ 89_Τ 90_Υ 91_Φ 92_Χ 93_Ψ 94_Ω 95_α 96_β 97_γ 98_δ 99_ε 100_ζ 101_η 102_θ 103_ι 104_κ 105_λ 106_μ 107_ν 108_ξ 109_ο 110_π 111_ρ 112_σ 113_τ 114_υ 115_φ 116_χ 117_ψ 118_ω 119_Α 120_Β 121_Γ 122_Δ 123_Ε 124_Ζ 125_Η 126_Θ 127_Ι 128_Κ 129_Λ 130_Μ 131_Ν 132_Ξ 133_Ο 134_Π 135_Ρ 136_Σ 137_Τ 138_Υ 139_Φ 140_Χ 141_Ψ 142_Ω 143_α 144_β 145_γ 146_δ 147_ε 148_ζ 149_η 150_θ 151_ι 152_κ 153_λ 154_μ 155_ν 156_ξ 157_ο 158_π 159_ρ 160_σ 161_τ 162_υ 163_φ 164_χ 165_ψ 166_ω 167_Α 168_Β 169_Γ 170_Δ 171_Ε 172_Ζ 173_Η 174_Θ 175_Ι 176_Κ 177_Λ 178_Μ 179_Ν 180_Ξ 181_Ο 182_Π 183_Ρ 184_Σ 185_Τ 186_Υ 187_Φ 188_Χ 189_Ψ 190_Ω 191_α 192_β 193_γ 194_δ 195_ε 196_ζ 197_η 198_θ 199_ι 200_κ 201_λ 202_μ 203_ν 204_ξ 205_ο 206_π 207_ρ 208_σ 209_τ 210_υ 211_φ 212_χ 213_ψ 214_ω 215_Α 216_Β 217_Γ 218_Δ 219_Ε 220_Ζ 221_Η 222_Θ 223_Ι 224_Κ 225_Λ 226_Μ 227_Ν 228_Ξ 229_Ο 230_Π 231_Ρ 232_Σ 233_Τ 234_Υ 235_Φ 236_Χ 237_Ψ 238_Ω 239_α 240_β 241_γ 242_δ 243_ε 244_ζ 245_η 246_θ 247_ι 248_κ 249_λ 250_μ 251_ν 252_ξ 253_ο 254_π 255_ρ 256_σ 257_τ 258_υ 259_φ 260_χ 261_ψ 262_ω 263_Α 264_Β 265_Γ 266_Δ 267_Ε 268_Ζ 269_Η 270_Θ 271_Ι 272_Κ 273_Λ 274_Μ 275_Ν 276_Ξ 277_Ο 278_Π 279_Ρ 280_Σ 281_Τ 282_Υ 283_Φ 284_Χ 285_Ψ 286_Ω 287_α 288_β 289_γ 290_δ 291_ε 292_ζ 293_η 294_θ 295_ι 296_κ 297_λ 298_μ 299_ν 300_ξ 301_ο 302_π 303_ρ 304_σ 305_τ 306_υ 307_φ 308_χ 309_ψ 310_ω 311_Α 312_Β 313_Γ 314_Δ 315_Ε 316_Ζ 317_Η 318_Θ 319_Ι 320_Κ 321_Λ 322_Μ 323_Ν 324_Ξ 325_Ο 326_Π 327_Ρ 328_Σ 329_Τ 330_Υ 331_Φ 332_Χ 333_Ψ 334_Ω 335_α 336_β 337_γ 338_δ 339_ε 340_ζ 341_η 342_θ 343_ι 344_κ 345_λ 346_μ 347_ν 348_ξ 349_ο 350_π 351_ρ 352_σ 353_τ 354_υ 355_φ 356_χ 357_ψ 358_ω 359_Α 360_Β 361_Γ 362_Δ 363_Ε 364_Ζ 365_Η 366_Θ 367_Ι 368_Κ 369_Λ 370_Μ 371_Ν 372_Ξ 373_Ο 374_Π 375_Ρ 376_Σ 377_Τ 378_Υ 379_Φ 380_Χ 381_Ψ 382_Ω 383_α 384_β 385_γ 386_δ 387_ε 388_ζ 389_η 390_θ 391_ι 392_κ 393_λ 394_μ 395_ν 396_ξ 397_ο 398_π 399_ρ 400_σ 401_τ 402_υ 403_φ 404_χ 405_ψ 406_ω 407_Α 408_Β 409_Γ 410_Δ 411_Ε 412_Ζ 413_Η 414_Θ 415_Ι 416_Κ 417_Λ 418_Μ 419_Ν 420_Ξ 421_Ο 422_Π 423_Ρ 424_Σ 425_Τ 426_Υ 427_Φ 428_Χ 429_Ψ 430_Ω 431_α 432_β 433_γ 434_δ 435_ε 436_ζ 437_η 438_θ 439_ι 440_κ 441_λ 442_μ 443_ν 444_ξ 445_ο 446_π 447_ρ 448_σ 449_τ 450_υ 451_φ 452_χ 453_ψ 454_ω 455_Α 456_Β 457_Γ 458_Δ 459_Ε 460_Ζ 461_Η 462_Θ 463_Ι 464_Κ 465_Λ 466_Μ 467_Ν 468_Ξ 469_Ο 470_Π 471_Ρ 472_Σ 473_Τ 474_Υ 475_Φ 476_Χ 477_Ψ 478_Ω 479_α 480_β 481_γ 482_δ 483_ε 484_ζ 485_η 486_θ 487_ι 488_κ 489_λ 490_μ 491_ν 492_ξ 493_ο 494_π 495_ρ 496_σ 497_τ 498_υ 499_φ 500_χ 501_ψ 502_ω 503_Α 504_Β 505_Γ 506_Δ 507_Ε 508_Ζ 509_Η 510_Θ 511_Ι 512_Κ 513_Λ 514_Μ 515_Ν 516_Ξ 517_Ο 518_Π 519_Ρ 520_Σ 521_Τ 522_Υ 523_Φ 524_Χ 525_Ψ 526_Ω 527_α 528_β 529_γ 530_δ 531_ε 532_ζ 533_η 534_θ 535_ι 536_κ 537_λ 538_μ 539_ν 540_ξ 541_ο 542_π 543_ρ 544_σ 545_τ 546_υ 547_φ 548_χ 549_ψ 550_ω 551_Α 552_Β 553_Γ 554_Δ 555_Ε 556_Ζ 557_Η 558_Θ 559_Ι 560_Κ 561_Λ 562_Μ 563_Ν 564_Ξ 565_Ο 566_Π 567_Ρ 568_Σ 569_Τ 570_Υ 571_Φ 572_Χ 573_Ψ 574_Ω 575_α 576_β 577_γ 578_δ 579_ε 580_ζ 581_η 582_θ 583_ι 584_κ 585_λ 586_μ 587_ν 588_ξ 589_ο 590_π 591_ρ 592_σ 593_τ 594_υ 595_φ 596_χ 597_ψ 598_ω 599_Α 600_Β 601_Γ 602_Δ 603_Ε 604_Ζ 605_Η 606_Θ 607_Ι 608_Κ 609_Λ 610_Μ 611_Ν 612_Ξ 613_Ο 614_Π 615_Ρ 616_Σ 617_Τ 618_Υ 619_Φ 620_Χ 621_Ψ 622_Ω 623_α 624_β 625_γ 626_δ 627_ε 628_ζ 629_η 630_θ 631_ι 632_κ 633_λ 634_μ 635_ν 636_ξ 637_ο 638_π 639_ρ 640_σ 641_τ 642_υ 643_φ 644_χ 645_ψ 646_ω 647_Α 648_Β 649_Γ 650_Δ 651_Ε 652_Ζ 653_Η 654_Θ 655_Ι 656_Κ 657_Λ 658_Μ 659_Ν 660_Ξ 661_Ο 662_Π 663_Ρ 664_Σ 665_Τ 666_Υ 667_Φ 668_Χ 669_Ψ 670_Ω 671_α 672_β 673_γ 674_δ 675_ε 676_ζ 677_η 678_θ 679_ι 680_κ 681_λ 682_μ 683_ν 684_ξ 685_ο 686_π 687_ρ 688_σ 689_τ 690_υ 691_φ 692_χ 693_ψ 694_ω 695_Α 696_Β 697_Γ 698_Δ 699_Ε 700_Ζ 701_Η 702_Θ 703_Ι 704_Κ 705_Λ 706_Μ 707_Ν 708_Ξ 709_Ο 710_Π 711_Ρ 712_Σ 713_Τ 714_Υ 715_Φ 716_Χ 717_Ψ 718_Ω 719_α 720_β 721_γ 722_δ 723_ε 724_ζ 725_η 726_θ 727_ι 728_κ 729_λ 730_μ 731_ν 732_ξ 733_ο 734_π 735_ρ 736_σ 737_τ 738_υ 739_φ 740_χ 741_ψ 742_ω 743_Α 744_Β 745_Γ 746_Δ 747_Ε 748_Ζ 749_Η 750_Θ 751_Ι 752_Κ 753_Λ 754_Μ 755_Ν 756_Ξ 757_Ο 758_Π 759_Ρ 760_Σ 761_Τ 762_Υ 763_Φ 764_Χ 765_Ψ 766_Ω 767_α 768_β 769_γ 770_δ 771_ε 772_ζ 773_η 774_θ 775_ι 776_κ 777_λ 778_μ 779_ν 780_ξ 781_ο 782_π 783_ρ 784_σ 785_τ 786_υ 787_φ 788_χ 789_ψ 790_ω 791_Α 792_Β 793_Γ 794_Δ 795_Ε 796_Ζ 797_Η 798_Θ 799_Ι 800_Κ 801_Λ 802_Μ 803_Ν 804_Ξ 805_Ο 806_Π 807_Ρ 808_Σ 809_Τ 810_Υ 811_Φ 812_Χ 813_Ψ 814_Ω 815_α 816_β 817_γ 818_δ 819_ε 820_ζ 821_η 822_θ 823_ι 824_κ 825_λ 826_μ 827_ν 828_ξ 829_ο 830_π 831_ρ 832_σ 833_τ 834_υ 835_φ 836_χ 837_ψ 838_ω 839_Α 840_Β 841_Γ 842_Δ 843_Ε 844_Ζ 845_Η 846_Θ 847_Ι 848_Κ 849_Λ 850_Μ 851_Ν 852_Ξ 853_Ο 854_Π 855_Ρ 856_Σ 857_Τ 858_Υ 859_Φ 860_Χ 861_Ψ 862_Ω 863_α 864_β 865_γ 866_δ 867_ε 868_ζ 869_η 870_θ 871_ι 872_κ 873_λ 874_μ 875_ν 876_ξ 877_ο 878_π 879_ρ 880_σ 881_τ 882_υ 883_φ 884_χ 885_ψ 886_ω 887_Α 888_Β 889_Γ 890_Δ 891_Ε 892_Ζ 893_Η 894_Θ 895_Ι 896_Κ 897_Λ 898_Μ 899_Ν 900_Ξ 901_Ο 902_Π 903_Ρ 904_Σ 905_Τ 906_Υ 907_Φ 908_Χ 909_Ψ 910_Ω 911_α 912_β 913_γ 914_δ 915_ε 916_ζ 917_η 918_θ 919_ι 920_κ 921_λ 922_μ 923_ν 924_ξ 925_ο 926_π 927_ρ 928_σ 929_τ 930_υ 931_φ 932_χ 933_ψ 934_ω 935_Α 936_Β 937_Γ 938_Δ 939_Ε 940_Ζ 941_Η 942_Θ 943_Ι 944_Κ 945_Λ 946_Μ 947_Ν 948_Ξ 949_Ο 950_Π 951_Ρ 952_Σ 953_Τ 954_Υ 955_Φ 956_Χ 957_Ψ 958_Ω 959_α 960_β 961_γ 962_δ 963_ε 964_ζ 965_η 966_θ 967_ι 968_κ 969_λ 970_μ 971_ν 972_ξ 973_ο 974_π 975_ρ 976_σ 977_τ 978_υ 979_φ 980_χ 981_ψ 982_ω 983_Α 984_Β 985_Γ 986_Δ 987_Ε 988_Ζ 989_Η 990_Θ 991_Ι 992_Κ 993_Λ 994_Μ 995_Ν 996_Ξ 997_Ο 998_Π 999_Ρ 1000_Σ 1001_Τ 1002_Υ 1003_Φ 1004_Χ 1005_Ψ 1006_Ω 1007_α 1008_β 1009_γ 1010_δ 1011_ε 1012_ζ 1013_η 1014_θ 1015_ι 1016_κ 1017_λ 1018_μ 1019_ν 1020_ξ 1021_ο 1022_π 1023_ρ 1024_σ 1025_τ 1026_υ 1027_φ 1028_χ 1029_ψ 1030_ω 1031_Α 1032_Β 1033_Γ 1034_Δ 1035_Ε 1036_Ζ 1037_Η 1038_Θ 1039_Ι 1040_Κ 1041_Λ 1042_Μ 1043_Ν 1044_Ξ 1045_Ο 1046_Π 1047_Ρ 1048_Σ 1049_Τ 1050_Υ 1051_Φ 1052_Χ 1053_Ψ 1054_Ω 1055_α 1056_β 1057_γ 1058_δ 1059_ε 1060_ζ 1061_η 1062_θ 1063_ι 1064_κ 1065_λ 1066_μ 1067_ν 1068_ξ 1069_ο 1070_π 1071_ρ 1072_σ 1073_τ 1074_υ 1075_φ 1076_χ


STANDARDINDUSTRIAL POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black		1/4" (6mm)	206BCPX †
		3/8" (9mm)	209BCPX †
		1/2" (12mm)	212BCPX †
		3/4" (18mm)	218BCPX †
	Translucentmatte (limited supply)	3/4" (18mm)	218BTMPX
		1/6" (4mm)	204BWPX
		1/4" (6mm)	206BWPX †
		3/8" (9mm)	209BWPX** †
		1/2" (12mm)	212BWPX** †
		3/4" (18mm)	218BWPX** †
		1/4" (6mm)	206BYPX †
		3/8" (9mm)	209BYPX** †
		1/2" (12mm)	212BYPX** †
		3/4" (18mm)	218BYPX** †
		1/4" (6mm)	206BGPX †
		3/8" (9mm)	209BGPX †
		1/2" (12mm)	212BGPX †
		3/4" (18mm)	218BGPX †
		1/4" (6mm)	206BBPX †
		3/8" (9mm)	209BBPX †
		1/2" (12mm)	212BBPX †
		3/4" (18mm)	218BBPX †
		1/4" (6mm)	206BRPX †
		3/8" (9mm)	209BRPX †
		1/2" (12mm)	212BRPX †
		3/4" (18mm)	218BRPX †
		1/2" (12mm)	212BOPX
	Orange	3/4" (18mm)	218BOPX
	White Removable	1/2" (12mm)	212RAPX †
	Purple	3/4" (18mm)	218BVPX
		3/8" (9mm)	209SMPX †
		1/2" (12mm)	212SMPX †
		3/4" (18mm)	218SMPX †

STANDARDINDUSTRIAL POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
White		1/4" (6mm)	206WBPX †
		3/8" (9mm)	209WBPX †
		1/2" (12mm)	212WBPX †
		3/4" (18mm)	218WBPX †
		1/2" (12mm)	212WRPX
	Vivid Red	3/4" (18mm)	218WRPX
		1/2" (12mm)	212WGPX
		3/4" (18mm)	218WGPX
		1/2" (12mm)	212WLPX
		3/4" (18mm)	218WLPX
Red		1/2" (12mm)	212WCPX †
		3/4" (18mm)	218WCPX †
	White	1/2" (12mm)	212RWPX †
		1/2" (12mm)	212RWPX †




FLUORESCENT POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Fluorescent Red	3/4" (18mm)	218FRPX
	Fluorescent Pink		218FPPX
	Fluorescent Orange		218FOPX †
	Fluorescent Yellow		218FYPX †
	Fluorescent Green		218FGPX †
STRONG ADHESIVE POLYESTER TAPE- 30ft (9m)			
Black		3/8" (9mm)	209IBWPX †
		1/2" (12mm)	212IBWPX †
		3/4" (18mm)	218IBWPX †
		3/8" (9mm)	209IBYPX †
		1/2" (12mm)	212IBYPX †
		3/4" (18mm)	218IBYPX †
Gold		1/2" (12mm)	212GCPX †
		1/2" (12mm)	212GBPX
VINYL TAPE - 22.9ft (7m)			
Black		1/2" (12mm)	212VTBWPX**
		3/4" (18mm)	218VTBWPX**
		1/2" (12mm)	212VTBYPX**
		3/4" (18mm)	218VTBYPX**
EXTRA TOUGH NYLON TAPE - 19ft (5.8m)			
Black		1/2" (12mm)	212NYLBWPX †
		3/4" (18mm)	218NYLBWPX †

It is recommended to cut nylon tape using scissors to prolong the life of your printer's built-in cutter.

MAGNETIC TAPE - 4.9ft (1.5m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black		1/2" (12mm)	212MTBWPX-4.9
		3/4" (18mm)	218MTBWPX-4.9
		1/2" (12mm)	212MTBYPX-4.9
		3/4" (18mm)	218MTBYPX-4.9
		1/2" (12mm)	212MTBRPX-4.9
		3/4" (18mm)	218MTBRPX-4.9
		1/2" (12mm)	212MTBBPX-4.9
		3/4" (18mm)	218MTBBPX-4.9
		1/2" (12mm)	212MTBGPX-4.9
		3/4" (18mm)	218MTBGPX-4.9

It is recommended to cutmagnetic tape using scissors to prolong the life of your printer's built-in cutter.

HEAT SHRINK TUBE - 98in (2.4m)					
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER
Black		3/16" (4mm)	8-12	2:1	205STBRPX
		1/2" (12mm)	2-8	2:1	211STBRPX
		1/8" (3mm)	16-22	3:1	203YLBYPX
		3/16" (4mm)	8-12	2:1	205STBYPX
		1/4" (6mm)	6-18	3:1	208B20BYPX**
		1/2" (12mm)	2-8	2:1	211STBYPX
		1/8" (3mm)	16-22	3:1	203YLBWPX
		3/16" (4mm)	8-12	2:1	205STBWPX
		1/4" (6mm)	6-18	3:1	208B20BWPX**
		3/8" (9mm) 90in/L	4-12	3:1	210STBWPX-90
		1/2" (12mm)	2-8	2:1	211STBWPX
	Blue	3/16" (4mm)	10-18	3:1	205YLBBPX
White		3/16" (4mm)	8-12	2:1	205STWBPX
		1/2" (12mm)	2-8	2:1	211STWBPX

Compliance Standards: UL Standard 224 (Related Temperature: 125° C, Rated Voltage: 300V, Flame Resistance Grade VW-1). It is recommended to cut heat shrink tube using scissors to prolong the life of your printer's built-in cutter.

*INDICATES THAT SUPPLY IS ALSO AVAILABLEIN STANDARD CARTRIDGES
**INDICATES THAT SUPPLY IS ALSO AVAILABLEIN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
†INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

LW-PX300



**LIFETIME
WARRANTY**



See page 60 for technical specifications

LW-PX300



The Epson LabelWorks LW-PX300 provides an industrial-grade labeling solution at an entry-level price. For those seeking a low-cost, compact basic wire-marking, bar code, and general identification label solution for creating custom labels up to 3/4" (18mm) wide, the LW-PX300 delivers.

SIMPLE, LIGHTWEIGHT, AND COMPACT




The LW-PX300 is not that much larger than a mobile phone.
Perfect for handheld use.

BAR CODES



Easily create select bar code styles using the LW-PX300.

CONVENIENT PRINTING



Press print once and print multiple copies for bigger projects. Easily save and store labels to return and print at a later time.

AVAILABLE KITS



SKU: LW-PX300

Kit Includes:

- LW-PX300 Printer
- ½" Black on White VINYL Cartridge (212VTBWPX)
- User Guide






SKU: LW-PX300VP



Kit Includes:

- LW-PX300 Printer
- ½" Black on White VINYL Cartridge (212VTBWPX)
- AC Adapter
- Rubber Guard
- Heavy-Duty Plastic Case






Check LabelWorks.Epson.com for product updates and information | See next page for tape compatibility >




STANDARDINDUSTRIAL POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black		1/4" (6mm)	206BCPX †
		3/8" (9mm)	209BCPX †
		1/2" (12mm)	212BCPX †
		3/4" (18mm)	218BCPX †
	Translucentmatte (limited supply)	3/4" (18mm)	218BTMPX
		1/4" (6mm)	206BWPX †
		3/8" (9mm)	209BWPX** †
		1/2" (12mm)	212BWPX** †
		3/4" (18mm)	218BWPX** †
		1/4" (6mm)	206BYPX †
		3/8" (9mm)	209BYPX** †
		1/2" (12mm)	212BYPX** †
		3/4" (18mm)	218BYPX** †
		1/4" (6mm)	206BGPX †
		3/8" (9mm)	209BGPX †
		1/2" (12mm)	212BGPX †
		3/4" (18mm)	218BGPX †
		1/4" (6mm)	206BBPX †
		3/8" (9mm)	209BBPX †
		1/2" (12mm)	212BBPX †
		3/4" (18mm)	218BBPX †
		1/4" (6mm)	206BRPX †
		3/8" (9mm)	209BRPX †
		1/2" (12mm)	212BRPX †
		3/4" (18mm)	218BRPX †
		1/2" (12mm)	212BOPX
		3/4" (18mm)	218BOPX
	White Removable	1/2" (12mm)	212RAPX †
	Purple	3/4" (18mm)	218BVPX
		3/8" (9mm)	209SMPX †
		1/2" (12mm)	212SMPX †
		3/4" (18mm)	218SMPX †

STANDARDINDUSTRIAL POLYESTER TAPE - 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
White		1/4" (6mm)	206WBPX †
		3/8" (9mm)	209WBPX †
		1/2" (12mm)	212WBPX †
		3/4" (18mm)	218WBPX †
		1/2" (12mm)	212WRPX
	Vivid Red	3/4" (18mm)	218WRPX
		1/2" (12mm)	212WGPX
		3/4" (18mm)	218WGPX
		1/2" (12mm)	212WLPX
		3/4" (18mm)	218WLPX
		1/2" (12mm)	212WCPX †
		3/4" (18mm)	218WCPX †
Red	White	1/2" (12mm)	212RWPX †



STRONG ADHESIVE POLYESTER TAPE- 30ft (9m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black		3/8" (9mm)	209IBWPX †
		1/2" (12mm)	212IBWPX †
		3/4" (18mm)	218IBWPX †
		3/8" (9mm)	209IBYPX †
		1/2" (12mm)	212IBYPX †
		3/4" (18mm)	218IBYPX †
Gold		1/2" (12mm)	212GCPX †
		1/2" (12mm)	212GBPX
FLUORESCENT POLYESTER TAPE- 30ft (9m)			
Black			218FRPX
			218FPPX
			218FOPX †
			218FYPX †
			218FGPX †
VINYL TAPE - 22.9ft (7m)			
Black		1/2" (12mm)	212VTBWPX**
		3/4" (18mm)	218VTBWPX**
		1/2" (12mm)	212VTBYPX**
		3/4" (18mm)	218VTBYPX**
NYLON TAPE - 19ft (5.8m)			
Black		1/2" (12mm)	212NYLBWPX †
		3/4" (18mm)	218NYLBWPX †

It is recommended to cut nylon tape using scissors to prolong the life of your printer's built-in cutter.

MAGNETIC TAPE - 4.9ft (1.5m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black		1/2" (12mm)	212MTBWPX-4.9
		3/4" (18mm)	218MTBWPX-4.9
		1/2" (12mm)	212MTBYPX-4.9
		3/4" (18mm)	218MTBYPX-4.9
		1/2" (12mm)	212MTBRPX-4.9
		3/4" (18mm)	218MTBRPX-4.9
		1/2" (12mm)	212MTBBPX-4.9
		3/4" (18mm)	218MTBBPX-4.9
		1/2" (12mm)	212MTBGPX-4.9
		3/4" (18mm)	218MTBGPX-4.9

HEAT SHRINK TUBE - 98in (2.4m)					
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER
Black	Red	3/16" (4mm)	8-12	2:1	205STBRPX
		1/8" (3mm)	16-22	3:1	203YLBYPX
		3/16" (4mm)	8-12	2:1	205STBYPX
		1/8" (3mm)	16-22	3:1	203YLBWPX
		3/16" (4mm)	8-12	2:1	205STBWPX
	Blue	3/16" (4mm)	10-18	3:1	205YLBBPX
White	Black	3/16" (4mm)	8-12	2:1	205STWBPX

Compliance Standards: UL Standard 224 (Related Temperature: 125° C, Rated Voltage: 300V, Flame Resistance Grade VW-1). It is recommended to cut heat shrink tube using scissors to prolong the life of your printer's built-in cutter.

*INDICATES THAT SUPPLY IS ALSO AVAILABLEIN STANDARD CARTRIDGES
**INDICATES THAT SUPPLY IS ALSO AVAILABLEIN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
†INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

LABEL EDITOR

SOFTWARE

TAKE YOUR LABELING TO THE NEXT LEVEL!

Print wirelessly† or via USB using this intuitive label-creating platform. We've included hundreds of templates for common industry-specific labels, and included over 1000 industry symbols for a comprehensive labeling experience.

Experience ultimate versatility by connecting compatible* LabelWorks printers to a PC.**



Easily save and share label designs!

Unlimited license downloads included with LW-PX400 kits, LW-PX700 kits, LW-PX750 kits, LW-PX800, LW-PX900 kits, LW-Z5000PX kits, and LW-Z5010PX kits.


Import large batch files with Excel™

Formats include: .cst, .txt, .xls, .xlsx, .xslm

Easy Bar Code and QR Code Templates

Label Editor Software produces many bar codes including: QR Code • Micro QR Code • MaxiCode • PDF417 • DataMatrix • EAN-8 (JAN-8) • EAN-13 (JAN-13) • CODE39 • CODE128 • UPC-A • UPC-E • NW-7 (Codabar) • ITF • GS1-128 (EAN-128) • GS1 DataBar

Upload Images and Logos



* Label Editor is not compatible with LW-PX300 or LW-PX350
** Use Label Editor Lite for Mac
† Wireless printing available only on LW-PX400, LW-PX800, LW-Z5010PX, and LW-Z5000PX


MOBILE APPS TO SIMPLIFY LABELING

Wireless labeling has never been easier with the Epson Label Editor Mobile, iLabel™, and Datacom apps! Simply connect the FREE apps to your printer and mobile device via Bluetooth® or Wireless LAN to utilize pre-formatted templates, bar codes, and much more!



Use the Epson Label Editor Mobile App for:

- General ID
- Home & Craft
- QR Codes
- Festive Labels
- Batch Printing from Spreadsheets
- Date and Time Stamps
- General Facility Labeling
- and MUCH more!



The Epson Label Editor Mobile app has an easy-to-use, drag-and-drop intuitive interface with designer formatting options and easily connects to your mobile device wirelessly.



Scan here to try for FREE today!



Use the Epson Datacom or Epson iLabel Apps for:


- Wire Marking
- Patch Panels
- QR Codes
- Bar Codes
- Faceplates
- Safety Labels
- Logos
- And MUCH more!



iLabel:
1,000+ industrial and facility symbols




iLabel:
Pre-formatted label templates



Datacom:
Quickly access common labeling applications



Datacom:
Customize cable wrap, including heat shrink tube



Datacom:
Choose templates based on panel brands



Mobile apps recommended for printer models: LW-PX400, LW-PX800, LW-Z5000PX and LW-Z5010PX

Bluetooth and the Bluetooth logo are the trademarks of Bluetooth SIG, INC. iOS is a trademark of Cisco in the U.S. and other countries and is used under license. Android and Google Play are trademarks of Google, Inc.

Technical Support: 800.622.6312 or support@labelworks.epson.com



Designed to make labeling easy, fun, and fast, Epson's free Label Editor Mobile app puts labeling design in the palm of your hand.

LABEL EDITOR MOBILE BY EPSON

Your Intuitive Mobile App for Creating Perfect Labels

Designed to make labeling easy, fun, and fast, Epson's free Label Editor Mobile app puts labeling design in the palm of your hand.

With advanced labeling functionality built right in, Label Editor Mobile gives you the flexibility to choose from your favorite fonts, symbols, frames, barcodes, QR codes, and more! Create tables or print a batch of serialized labels. Or just let your imagination guide you to create whimsical labels for any purpose.

Wherever your creativity wants to take you, Label Editor Mobile makes it easy to get there!



ABOUT EPSON LABELWORKS

Headquartered in America's heartland

Wisconsin-based Epson LabelWorks serves as Epson's marketing, sales, and fulfillment organization for its comprehensive line of thermal transfer industrial labeling solutions for the United States and Canada.

Now an Epson Group Company, Epson LabelWorks was once known by our legal name, K-SUN Corporation, which began serving the label printing market in 1978. With more than 35 years of growth and success, Epson fully acquired K-SUN Corporation in 2014.

Today, we're better known as Epson LabelWorks, a brand that mirrors our ownership, our driving principles, and the innovative products we bring to the market.



Epson LabelWorks Headquarters, located in America's heartland in Somerset, Wisconsin.

TOP 3 REASONS FOR CHOOSING EPSON LABELWORKS PX

Backed by Epson, a Brand you Know and a Company you Can Trust

1

SAVINGS

Users save on print costs over time with less wasted tape and more material per cartridge. Our printers produce short margins, and offer tape-saving features like auto-rewind to save even more.

2

LIFETIME WARRANTY

Epson LABELWORKS PX offers an unmatched lifetime warranty. If a user breaks it, we replace it.

No exceptions, no fine print. Full replacement.

3

SUPPORT

Epson LABELWORKS PX boasts industry-leading product, technical and customer support. We have trained local staff on-hand for one-on-one support via phone, email, chat and in-person, on-site training.

LIFETIME WARRANTY

EPSON LABELWORKS | 370 SMC DRIVE | SOMERSET, WISCONSIN 54025 | (800) 622-6312 | LABELWORKS.EPSON.COM

Copyright © 2023 . Epson LabelWorks/K-Sun Corporation. All rights reserved.



MEET THE SUPPLIES

More than 180 Types of Label Media to Choose From

HEAT SHRINK TUBE

Durable, Flexible, Shrink Tube

Print right on the sleeve, apply around your desired wire and shrink using a heat tool for a snug fit. Leave it as-is for movable sleeves, or shrink around multiple wires for optimum organization. Epson's printable heat shrink tube comes in a variety of colors and sizes and is compatible with all LabelWorks PX printers (check for tube size compatibility).
Available in continuous standard cartridges and bulk value rolls for select sizes, colors and cuts.



MAGNETIC TAPE

Durable, Printable, Moveable Solution

Excellent for warehousing, scheduling, whiteboards, and any instance of rotating/moving inventory and assets, LabelWorks PX magnet tape can withstand extremes in heat, cold, and high humidity conditions. The labels can withstand cleaning with many household cleaners and solvents and will stay attached with excellent resistance to smearing, scratching, curling edges, or peeling.



STANDARD INDUSTRIAL POLYESTER TAPE

The Real Deal

Our take on classic labeling tape comes in many colors and sizes. Composed of durable polyester with a gloss finish and strong adhesive, this tape is suitable for indoor and outdoor use for many industrial applications. Most Industrial tape cartridges come with split-back lining for easy peeling and easy application. Best of all, these cartridges are cross-compatible among LabelWorks PX printers.
Available in all PX colors and sizes in standard cartridges and select colors and sizes in bulk value rolls.



STRONG ADHESIVE POLYESTER TAPE

The Bond that Keeps Bonding

Our strong adhesive is for those who require a stronger bond for more porous, curved, or textured surfaces. Our strong adhesive polyester tape is ideal for those tough-to-stick-to surfaces. The adhesive bond grows stronger over time, which makes for long-lasting, durable labels suitable in the harshest environments.



REMOVABLE ADHESIVE TAPE

Clean Look, Easy Peel

Popular with labs and medical industries, removable adhesive stays put when and where you want it, and is easy to remove when you no longer need it! Eliminate the need to scrape off the adhesive residue left by traditional labels by using Epson's removable adhesive labeling tape.



SILVER MATTE POLYESTER TAPE

Give Your Labels a Sharp, Professional Look

Want to give your bar code labels a super professional finish? Silver Matte polyester tape is a must-have wherever scanners are used to read bar codes! Whether it's asset management or inventory management, barcoders everywhere love the professional, finished look they get from this versatile specialty tape.



VINYL SELF-LAMINATING OVERWRAP

Label and Wrap it Up

LabelWorks PX self-laminating vinyl cable wrap provides long-lasting legible labels. Featuring a clean, opaque printable area along with a durable and flexible clear wraparound protective covering, Epson's self-laminating vinyl can withstand temperature extremes, chemicals, and solvents. Our vinyl self-laminating label material is highly resistant to smearing, wrinkling, scratching, and peeling to ensure your cables and wires remain identifiable for years.
Available in continuous standard cartridges and bulk value rolls for select sizes, colors and cuts.



FLUORESCENT POLYESTER TAPE

Bright and Bold

Grab attention and make a statement with fluorescent labels! Epson LabelWorks offers 3/4" polyester fluorescent tape in 5 different colors. Popular among labs and medical applications, this eye-catching label tape is perfect for making important announcements, warnings, and statements. Our fluorescent tape is compatible with all Epson LabelWorks printer models and comes packed with 30-feet of tape in each cartridge.



VINYL TAPE

Versatile and Flexible

Our most versatile and flexible option yet! Designed to withstand temperature extremes, this super flexible, durable labeling supply boasts a strong adhesive that is tough enough to stay but can be removed without leaving residue. We recommend using this product indoors or outdoors and on curved surfaces to unlock its full potential.
Available in continuous standard cartridges and bulk value rolls.



EXTRA-TOUGH NYLON TAPE

Tough and Durable

If you need durable custom labels that will stick in rugged, punishing, harsh industrial environments, check out Extra-Tough Nylon Cloth labeling supplies from Epson LabelWorks. Available in 1/2", 3/4", or 1" widths, our newest labeling tape is engineered for the toughest labeling environments.



MEET THE BULK VALUE SUPPLIES

Bulk Up and Save with Your Z Series Printer

BULK VALUE ROLLS

Reduce Cost of Labeling by 30% or More

Epson's bulk labeling supplies come in a variety of continuous or die-cut in Flexible Vinyl, Standard Polyester, and our most popular sizes of Heat Shrink Tube. Perfect for high-volume jobs around every facility.

BULK VALUE DIE-CUT

Convenient Die-Cut Heat Shrink Tube and Cable Wrap

Let die-cut bulk labels take the guesswork out of large, bulk labeling jobs. No need to program cuts, just print, peel, and apply!

AUTOMATIC REWINDER

Automate your Label Rolls

The Epson LabelWorks PX bulk value supplies are compatible with our automatic rewinder attachment, which makes for optimal bulk efficiency. The automatic rewinder automatically winds labels in a convenient roll, saving tons of time compared to rolling manually.
Compatible with the LW-Z5010PX and the LW-Z5000PX

YOUR ONE-STOP LABELING SHOP

Over 180 Color Combinations in the Epson LabelWorks PX Supply Line

Not sure what you need?

Our team of labeling experts based in Somerset, WI are standing by to help you. Labeling is fun, and we're passionate about it!

Live Chat with us between 8AM-4PM M-F CST or call our toll-free number **800.622.6312**

If you prefer email, reach out at orders@labelworks.epson.com

LABELWORKS PX SUPPLY LINE

HEAT SHRINK TUBE	
Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350, LW-PX300. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XLST, 2012XLST, 2012XLST-PC, 2010PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.	

PART NUMBER	DESCRIPTION
203YLBWPX	1/8" AWG 16-22 BLACK/WHITE - 98"
203YLBYPX	1/8" AWG 16-22 BLACK/YELLOW - 98"
205STBRPX	3/16" AWG 8-12 BLACK/RED - 98"
205STBYPX	3/16" AWG 8-12 BLACK/YELLOW - 98"
205STBWPX	3/16" AWG 8-12 BLACK/WHITE - 98"
205YLBBPX	3/16" AWG 10-18 BLACK/BLUE - 98"
205STWBPX	3/16" AWG 8-12 WHITE/BLACK - 98"
Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XLST, 2012XLST, 2012XLST-PC, 2010PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.	

PART NUMBER	DESCRIPTION
208B20BWPX**	1/4" AWG 6-18 BLACK/WHITE - 98"
208B20BYPX**	1/4" AWG 6-18 BLACK/WHITE - 98"
210STBWPX-90	3/8" AWG 4-12 BLACK/WHITE - 90"
211STBRPX	1/2" AWG 2-8 BLACK/RED - 98"
211STBYPX	1/2" AWG 2-8 BLACK/YELLOW - 98"
211STBWPX	1/2" AWG 2-8 BLACK/WHITE - 98"
211STWBPX	1/2" AWG 2-8 WHITE/BLACK - 98"

Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400. Use in K-Sun® models: 2020LSTB, 2020LSTB-PC.

PART NUMBER	DESCRIPTION
214STBWPX	9/16" AWG 0-5 BLACK/WHITE - 98"

PART NUMBER	DESCRIPTION
221STBWPX	7/8" AWG 0000-1 BLACK/WHITE - 98"
221STBYPX	7/8" AWG 0000-1 BLACK/YELLOW - 98"

VINYL SELF-LAMINATING OVERWRAP	
Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400. Use in K-Sun® models: 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.	

PART NUMBER	DESCRIPTION
224VSLPX**†	24mm 1" VINYL SELF LAMINATING OVERWRAP (1/4" White, 3/4" Clear) 26.2'
Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800. Use in K-Sun® models: PearLabel® 360.	

PART NUMBER	DESCRIPTION
236VSLPX**†	36mm 1.5" VINYL SELF LAMINATING OVERWRAP (1/2" WHITE, 1" CLEAR) 26.2'

VINYL TAPE	
Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350, LW-PX300. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XLST, 2012XLST, 2012XLST-PC, 2010PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.	

PART NUMBER	DESCRIPTION
212VTBWPX**	12mm 1/2" BLACK Imprint/WHITE VINYL TAPE/22.9'
212VTBYPX**	12mm 1/2" BLACK Imprint/YELLOW VINYL TAPE/22.9'
218VTBWPX**	18mm 3/4" BLACK Imprint/WHITE VINYL TAPE/22.9'
218VTBYPX**	18mm 3/4" BLACK Imprint/YELLOW VINYL TAPE/22.9'



Vinyl Tape: 218VTBYPX

Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400. Use in K-Sun® models: 2001XLB, 2001XLST, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2010PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.

PART NUMBER	DESCRIPTION
224VTBWPX**	24mm 1" BLACK Imprint/WHITE VINYL TAPE/22.9'
224VTBYPX**	24mm 1" BLACK Imprint/YELLOW VINYL TAPE/22.9'

Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800. Use in K-Sun® models: PearLabel®360.

PART NUMBER	DESCRIPTION
236VTBWPX**	36mm 1.5" BLACK Imprint/WHITE VINYL TAPE/22.9'
236VTBYPX**	36mm 1.5" BLACK Imprint/YELLOW VINYL TAPE/22.9'

Use in Epson models: LW-Z5000PX, LW-Z5010PX

PART NUMBER	DESCRIPTION
250VTBWPX**	50mm 2" BLACK ON WHITE VINYL TAPE/22.9'
250VTBYPX**	50mm 2" BLACK ON YELLOW VINYL TAPE/22.9'

STANDARD INDUSTRIAL POLYESTER TAPE	
4mm - 1/6"	Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.

PART NUMBER	DESCRIPTION
204BWPX	4mm 1/6" BLACK Imprint/WHITE Tape/30'
6mm - 1/4"	Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350, LW-PX300. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.

PART NUMBER	DESCRIPTION
206BCPX†	6mm 1/4" BLACK Imprint/CLEAR Tape/30'
206BWPX†	6mm 1/4" BLACK Imprint/WHITE Tape/30'
206BYPX†	6mm 1/4" BLACK Imprint/YELLOW Tape/30'
206WBPX†	6mm 1/4" WHITE Imprint/BLACK Tape/30'
206BGPX†	6mm 1/4" BLACK Imprint/GREEN Tape/30'
206BBPX†	6mm 1/4" BLACK Imprint/BLUE Tape/30'
206BRPX†	6mm 1/4" BLACK Imprint/RED Tape/30'
9mm - 3/8"	Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350, LW-PX300. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.

PART NUMBER	DESCRIPTION
209BCPX†	9mm 3/8" BLACK Imprint/CLEAR Tape/30'
209BWPX**†	9mm 3/8" BLACK Imprint/WHITE Tape/30'
209IBWPX†	9mm 3/8" BLACK Imprint/WHITE Tape/30' STRONG ADHESIVE
209BYPX**†	9mm 3/8" BLACK Imprint/YELLOW Tape/30'
209IBYPX†	9mm 3/8" BLACK Imprint/YELLOW Tape/30' STRONG ADHESIVE
209WBPX†	9mm 3/8" WHITE Imprint/BLACK Tape/30'
209BGPX†	9mm 3/8" BLACK Imprint/GREEN Tape/30'
209BBPX†	9mm 3/8" BLACK Imprint/BLUE Tape/30'
209BRPX†	9mm 3/8" BLACK Imprint/RED Tape/30'



Magnetic Tape: 212MTBWPX-4.9

** INDICATES THAT SUPPLY IS ALSO AVAILABLE IN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
† INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

Check [LabelWorks.Epson.com](https://labelworks.epson.com) for product updates and information

STANDARD INDUSTRIAL POLYESTER TAPE	
12mm - 1/2"	Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350, LW-PX300. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.
PART NUMBER	DESCRIPTION
212BCPX †	12mm 1/2" BLACK Imprint/CLEAR Tape/30'
212WCPX †	12mm 1/2" WHITE Imprint/CLEAR Tape/30'
212BWPX*** †	12mm 1/2" BLACK Imprint/WHITE Tape/30'
212IBWPX †	12mm 1/2" BLACK Imprint/WHITE Tape/30' STRONG ADHESIVE
212BYPX*** †	12mm 1/2" BLACK Imprint/YELLOW Tape/30'
212IBYPX †	12mm 1/2" BLACK Imprint/YELLOW Tape/30' STRONG ADHESIVE
212WBPX †	12mm 1/2" WHITE Imprint/BLACK Tape/30'
212BBPX †	12mm 1/2" BLACK Imprint/BLUE Tape/30'
212BRPX †	12mm 1/2" BLACK Imprint/RED Tape/30'
212BOPX	12mm 1/2" BLACK Imprint/ORANGE Tape/30'
212BGPX †	12mm 1/2" BLACK Imprint/GREEN Tape/30'
212WRPX	12mm 1/2" WHITE Imprint/VIVID RED Tape/30'
212WGPX	12mm 1/2" WHITE Imprint/VIVID GREEN Tape/30'
212WLPX	12mm 1/2" WHITE Imprint/VIVID BLUE Tape/30'
212RWPX †	12mm 1/2" RED Imprint/WHITE Tape/30'
212GCPX †	12mm 1/2" GOLD Imprint/CLEAR Tape/30' STRONG ADHESIVE
212GBPX	12mm 1/2" GOLD Imprint/BLACK Tape/30' STRONG ADHESIVE
212RAPX †	12mm 1/2" BLACK Imprint/WHITE Tape/30' REMOVABLE ADHESIVE
18mm - 3/4"	Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350, LW-PX300. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.
PART NUMBER	DESCRIPTION
218BCPX †	18mm 3/4" BLACK Imprint/CLEAR Tape/30'
218WCPX †	18mm 3/4" WHITE Imprint/CLEAR Tape/30'
218BTMPX	18mm 3/4" BLACK Imprint/TRANSLUCENT MATTE - LIMITED SUPPLY
218BWPX*** †	18mm 3/4" BLACK Imprint/WHITE Tape/30'
218IBWPX †	18mm 3/4" BLACK Imprint/WHITE Tape/30' STRONG ADHESIVE
218BYPX*** †	18mm 3/4" BLACK Imprint/YELLOW Tape/30'
218IBYPX †	18mm 3/4" BLACK Imprint/YELLOW Tape/30' STRONG ADHESIVE
218WBPX †	18mm 3/4" WHITE Imprint/BLACK Tape/30'
218BBPX †	18mm 3/4" BLACK Imprint/BLUE Tape/30'
218BRPX †	18mm 3/4" BLACK Imprint/RED Tape/30'
218BOPX	18mm 3/4" BLACK Imprint/ORANGE Tape/30'
218BGPX †	18mm 3/4" BLACK Imprint/GREEN Tape/30'
218BVPX	18mm 3/4" BLACK Imprint/PURPLE Tape/30'
218WRPX	18mm 3/4" WHITE Imprint/VIVID RED Tape/30'
218WGPX	18mm 3/4" WHITE Imprint/VIVID GREEN Tape/30'
218WLPX	18mm 3/4" WHITE Imprint/VIVID BLUE Tape/30'
24mm -1"	Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400. Use in K-Sun® models: 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.
PART NUMBER	DESCRIPTION
224BCPX †	24mm 1" BLACK Imprint/CLEAR Tape/30'
224WCPX †	24mm 1" WHITE Imprint/CLEAR Tape/30'
224BWPX*** †	24mm 1" BLACK Imprint/WHITE Tape/30'
224IBWPX †	24mm 1" BLACK Imprint/WHITE Tape/30' STRONG ADHESIVE
224BYPX*** †	24mm 1" BLACK Imprint/YELLOW Tape/30'
224IBYPX †	24mm 1" BLACK Imprint/YELLOW Tape/30' STRONG ADHESIVE
224WBPX †	24mm 1" WHITE Imprint/BLACK Tape/30'
224BBPX †	24mm 1" BLACK Imprint/BLUE Tape/30'
224BRPX †	24mm 1" BLACK Imprint/RED Tape/30'
224BGPX †	24mm 1" BLACK Imprint/GREEN Tape/30'
224BOPX	24mm 1" BLACK Imprint/ORANGE Tape/30'
224WRPX	24mm 1" WHITE Imprint/VIVID RED Tape/30'
224WGPX	24mm 1" WHITE Imprint/VIVID GREEN Tape/30'
224WLPX	24mm 1" WHITE Imprint/VIVID BLUE Tape/30'

36mm - 1 1/2"	Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800. Use in K-Sun® model: PEARLabel®360.
PART NUMBER	DESCRIPTION
236BCPX †	36mm 1.5" BLACK Imprint/CLEAR Tape/30'
236BWPX*** †	36mm 1.5" BLACK Imprint/WHITE Tape/30'
236IBWPX †	36mm 1.5" BLACK Imprint/WHITE Tape/30' STRONG ADHESIVE
236BYPX*** †	36mm 1.5" BLACK Imprint/YELLOW Tape/30'
236IBYPX †	36mm 1.5" BLACK Imprint/YELLOW Tape/30' STRONG ADHESIVE
236WBPX †	36mm 1.5" WHITE Imprint/BLACK Tape/30'
236BBPX †	36mm 1.5" BLACK Imprint/BLUE Tape/30'
236BRPX †	36mm 1.5" BLACK Imprint/RED Tape/30'
236BOPX	36mm 1.5" BLACK Imprint/ORANGE Tape/30'
236BGPX †	36mm 1.5" BLACK Imprint/GREEN Tape/30'
236WRPX	36mm 1.5" WHITE Imprint/VIVID RED Tape/30'
236WLPX	36mm 1.5" WHITE Imprint/VIVID BLUE Tape/30'
50mm - 2"	Use in Epson models: LW-Z5000PX, LW-Z5010PX
PART NUMBER	DESCRIPTION
250BCPX	50mm 2" X BLACK Imprint/CLEAR Tape/26.2'
250BWPX**	50mm 2" X BLACK Imprint/WHITE Tape/26.2'
250IBWPX	50mm 2" X BLACK Imprint/WHITE Tape/26.2' STRONG ADHESIVE
250BYPX**	50mm 2" X BLACK Imprint/YELLOW Tape/26.2'
250BBPX	50mm 2" X BLACK Imprint/BLUE Tape/26.2'
250BGPX	50mm 2" X BLACK Imprint/GREEN Tape/26.2'
250BRPX	50mm 2" X BLACK Imprint/RED Tape/26.2'

SPECIALTY TAPES	
FLUORESCENT POLYESTER TAPE	Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350, LW-PX300. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.
PART NUMBER	DESCRIPTION
218FRPX	18mm 3/4" BLACK Imprint/FLUORESCENT RED Tape/30'
218FPPX	18mm 3/4" BLACK Imprint/FLUORESCENT Pink Tape/30'
218FOPX †	18mm 3/4" BLACK Imprint/FLUORESCENT ORANGE Tape/30'
218FYPX †	18mm 3/4" BLACK Imprint/FLUORESCENT YELLOW Tape/30'
218FGPX †	18mm 3/4" BLACK Imprint/FLUORESCENT GREEN Tape/30'
EXTRA-TOUGH NYLON TAPE	Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350, LW-PX300. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.
PART NUMBER	DESCRIPTION
212NYLBWPX †	12mm 1/2" BLACK Imprint/WHITE NYLON Tape/19'
218NYLBWPX †	18mm 3/4" BLACK Imprint/WHITE NYLON Tape/19'
224NYLBWPX †	24mm 1" BLACK Imprint/WHITE NYLON Tape/19'
Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400. Use in K-Sun® models: 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.	
224NYLBWPX	24mm 1" BLACK Imprint/WHITE NYLON Tape/19'
CLEANING	Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800. Use in K-Sun® model: PEARLabel®360.
PART NUMBER	DESCRIPTION
236HCPX	36mm 1.5" Cleaning Cartridge 4m, 13' 100 Uses - LIMITED SUPPLY
Use in Epson models: LW-Z5000PX, LW-Z5010PX	
250HCPX	50mm 2" Cleaning Cartridge 4m, 13' 100 Uses



208B20BWPX 1/4" Shrink Tube



209BWPX 3/8" Black on White Tape

** INDICATES THAT SUPPLY IS ALSO AVAILABLE IN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
† INDICATES THAT SUPPLY HAS SPLIT-BACK LINING



1 1/2" Black Imprint on Yellow Magnet 236MTBYPX



3/4" Vinyl Black on Yellow 218VBYPX

MATTE SILVER INDUSTRIAL POLYESTER TAPE	Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350, LW-PX300. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.
PART NUMBER	DESCRIPTION
209SMPX †	9mm 3/8" BLACK Imprint/SILVER MATTE Tape/30'
212SMPX †	12mm 1/2" BLACK Imprint/SILVER MATTE Tape/30'
218SMPX †	18mm 3/4" BLACK Imprint/SILVER MATTE Tape/30'
Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400. Use in K-Sun® models: 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.	
PART NUMBER	DESCRIPTION
224SMPX †	24mm 1" BLACK Imprint/SILVER MATTE Tape/30'
Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800. Use in K-Sun® model: PEARLabel®360.	
PART NUMBER	DESCRIPTION
236SMPX †	36mm 1-1/2" BLACK Imprint/SILVER MATTE Tape/30'
MAGNETIC TAPE	Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350, LW-PX300. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.
PART NUMBER	DESCRIPTION
212MTBWPX-4.9	12mm 1/2" BLACK Imprint/WHITE MAGNET Tape/4.9'
212MTBYPX-4.9	12mm 1/2" BLACK Imprint/YELLOW MAGNET Tape/4.9'
212MTBRPX-4.9	12mm 1/2" BLACK Imprint/RED MAGNET Tape/4.9'
212MTBGPX-4.9	12mm 1/2" BLACK Imprint/GREEN MAGNET Tape/4.9'
212MTBBPX-4.9	12mm 1/2" BLACK Imprint/BLUE MAGNET Tape/4.9'
218MTBWPX-4.9	18mm 3/4" BLACK Imprint/WHITE MAGNET Tape/4.9'
218MTBYPX-4.9	18mm 3/4" BLACK Imprint/YELLOW MAGNET Tape/4.9'
218MTBRPX-4.9	18mm 3/4" BLACK Imprint/RED MAGNET Tape/4.9'
218MTBGPX-4.9	18mm 3/4" BLACK Imprint/GREEN MAGNET Tape/4.9'
218MTBBPX-4.9	18mm 3/4" BLACK Imprint/BLUE MAGNET Tape/4.9'
Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400. Use in K-Sun® models: 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.	
PART NUMBER	DESCRIPTION
224MTBWPX-4.9	24mm 1" BLACK Imprint/WHITE MAGNET Tape/4.9'
224MTBYPX-4.9	24mm 1" BLACK Imprint/YELLOW MAGNET Tape/4.9'
224MTBRPX-4.9	24mm 1" BLACK Imprint/RED MAGNET Tape/4.9'
224MTBGPX-4.9	24mm 1" BLACK Imprint/GREEN MAGNET Tape/4.9'
224MTBBPX-4.9	24mm 1" BLACK Imprint/BLUE MAGNET Tape/4.9'
Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800. Use in K-Sun® model: PEARLabel®360.	
PART NUMBER	DESCRIPTION
236MTBWPX-4.9	36mm 1.5" BLACK Imprint/WHITE MAGNET Tape/4.9'
236MTBYPX-4.9	36mm 1.5" BLACK Imprint/YELLOW MAGNET Tape/4.9'
236MTBRPX-4.9	36mm 1.5" BLACK Imprint/RED MAGNET Tape/4.9'
236MTBGPX-4.9	36mm 1.5" BLACK Imprint/GREEN MAGNET Tape/4.9'
236MTBBPX-4.9	36mm 1.5" BLACK Imprint/BLUE MAGNET Tape/4.9'
Use in Epson models: LW-Z5000PX, LW-Z5010PX	
PART NUMBER	DESCRIPTION
250MTBWPX	50mm 2" BLACK Imprint/WHITE MAGNET Tape 4.9'

VALUE BULK ROLLS	
CONTINUOUS HEAT SHRINK TUBE	Use in Epson models: LW-Z5000PX, LW-Z5010PX
PART NUMBER	DESCRIPTION
B203STBWPX*	BULK B20 HST AWG 14-22 BLACK ON WHITE 49.2'
B203STBYPX	BULK B20 HST AWG 14-22 BLACK ON YELLOW 49.2'
B208STBWPX*	BULK B20 HST AWG 16-18 BLACK ON WHITE 49.2'
B208STBYPX	BULK B20 HST AWG 16-18 BLACK ON YELLOW 49.2'
DIE-CUT HEAT SHRINK TUBE	Use in Epson models: LW-Z5000PX, LW-Z5010PX
PART NUMBER	DESCRIPTION
BL203STBWX25PX	BULK-LD HST AWG 14-22 X 25mm BLACK ON WHITE 500/ROLL
BL203STBYX25PX	BULK-LD HST AWG 14-22 X 25mm BLACK ON YELLOW 500/ROLL
BL208STBWX35PX	BULK-LD HST AWG 6-18 X 35mm BLACK ON WHITE 400/ROLL
BL208STBYX35PX	BULK-LD HST AWG 6-18 X 35mm BLACK ON YELLOW 400/ROLL
INDUSTRIAL POLYESTER TAPE	Use in Epson models: LW-Z5000PX, LW-Z5010PX
PART NUMBER	DESCRIPTION
B209BWPX*	BULK 9mm 3/8" BLACK Imprint/WHITE Tape/147.6'
B209BYPX*	BULK 9mm 3/8" BLACK Imprint/YELLOW Tape/147.6'
B212BWPX*	BULK 12mm 1/2" BLACK Imprint/WHITE Tape/147.6'
B212BYPX*	BULK 12mm 1/2" BLACK Imprint/YELLOW Tape/147.6'
B218BWPX*	BULK 18mm 3/4" BLACK Imprint/WHITE Tape/147.6'
B218BYPX*	BULK 18mm 3/4" BLACK Imprint/YELLOW Tape/147.6'
B224BWPX*	BULK 24mm 1" BLACK Imprint/WHITE Tape/147.6'
B224BYPX*	BULK 24mm 1" BLACK Imprint/YELLOW Tape/147.6'
B236BWPX*	BULK 36mm 1.5" BLACK Imprint/WHITE Tape/147.6'
B236BYPX*	BULK 36mm 1.5" BLACK Imprint/YELLOW Tape/147.6'
B250BWPX*	BULK 50mm 2" BLACK Imprint/WHITE Tape/147.6'
B250BYPX*	BULK 50mm 2" BLACK Imprint/YELLOW Tape/147.6'
VINYL TAPE	Use in Epson models: LW-Z5000PX, LW-Z5010PX
PART NUMBER	DESCRIPTION
B212VTBWPX*	BULK 12mm 1/2" BLACK Imprint/WHITE VINYL Tape/147.6'
B212VTBYPX*	BULK 12mm 1/2" BLACK Imprint/YELLOW VINYL Tape/147.6'
B218VTBWPX*	BULK 18mm 3/4" BLACK Imprint/WHITE VINYL Tape/147.6'
B218VTBYPX*	BULK 18mm 3/4" BLACK Imprint/YELLOW VINYL Tape/147.6'
B224VTBWPX*	BULK 24mm 1" BLACK Imprint/WHITE VINYL Tape/147.6'
B224VTBYPX*	BULK 24mm 1" BLACK Imprint/YELLOW VINYL Tape/147.6'
B236VTBWPX*	BULK 36mm 1.5" BLACK Imprint/WHITE VINYL Tape/147.6'
B236VTBYPX*	BULK 36mm 1.5" BLACK Imprint/YELLOW VINYL Tape/147.6'
B250VTBWPX*	BULK 50mm 2" BLACK Imprint/WHITE VINYL Tape/147.6'
B250VTBYPX*	BULK 50mm 2" BLACK Imprint/YELLOW VINYL Tape/147.6'
CONTINUOUS VINYL SELF-LAMINATING OVERWRAP	Use in Epson models: LW-Z5000PX, LW-Z5010PX
PART NUMBER	DESCRIPTION
B224VSLPX* †	BULK 24mm 1" SELF LAMINATING VINYL/147.6'
B236VSLPX* †	BULK 36mm 1.5" SELF LAMINATING VINYL/147.6'
DIE-CUT VINYL SELF-LAMINATING OVERWRAP	Use in Epson models: LW-Z5000PX, LW-Z5010PX
PART NUMBER	DESCRIPTION
BVSL13X19PX	BULK DC 13mm X 19mm - .5" X .75" SELF LAM VINYL 2700 LBS/ROLL
BVSL13X38PX	BULK DC 13mm X 38mm - .5" X 1.5" SELF LAM VINYL 2700 LBS/ROLL
BVSL25X38PX	BULK DC 25mm X 38mm - 1" X 1.5" SELF LAM VINYL 1500 LBS/ROLL
BVSL38X38PX	BULK DC 38mm X 38mm - 1.5" X 1.5" SELF LAM VINYL 1000 LBS/ROLL

* INDICATES THAT SUPPLY IS ALSO AVAILABLE IN STANDARD CARTRIDGES
** INDICATES THAT SUPPLY IS ALSO AVAILABLE IN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
† INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

Check LabelWorks.Epson.com for product updates and information

COMPARING THE LABELWORKS LINE

Choosing The Best Epson LabelWorks PX Printer for You

PRINTER MODEL	MAX LABEL WIDTH	MAX HEAT SHRINK TUBE	PRINT RESOLUTION	MAX PRINT SPEED	SCREEN	KEYBOARD	POWER SOURCE	LABEL EDITOR MOBILE CONNECTIVITY	SOFTWARE CONNECTIVITY	CUTTER	MINIMUM MARGIN	WARRANTY
 LW-Z5010PX	2" (50mm)	7/8" (21mm)	300 dpi	50mm/sec	Full Color LCD Touch Screen	QWERTY	AC Adapter or Lithium-Ion Battery	Wi-Fi	USB, Wired LAN, Wi-Fi	Auto: Full and Half	5mm lead 1mm label	Lifetime
 LW-Z5000PX	2" (50mm)	7/8" (21mm)	300 dpi	50mm/sec	n/a	n/a	AC Adapter	Wi-Fi	USB, Wired LAN, Wi-Fi	Auto: Full and Half	5mm lead 1mm label	Lifetime
 LW-PX900	1 1/2" (36mm)	7/8" (21mm)	360 dpi	35mm/sec	2-Color Backlit LCD Screen	QWERTY	AC Adapter Lithium-Ion Battery 6 AA*	n/a	USB	Auto: Full and Half	4mm lead 1mm label	Lifetime
 LW-PX800	1 1/2" (36mm)	7/8" (21mm)	360 dpi	35mm/sec	n/a	n/a	AC Adapter	Wi-Fi	USB, Wired LAN, Wi-Fi	Auto: Full and Half	10mm lead 1mm label	Lifetime
 LW-PX750	1" (24mm)	9/16" (14mm)	180 dpi	30mm/sec	2-Color Backlit LCD Screen	QWERTY	AC Adapter 6 AA*	n/a	USB	Auto: Full and Half	4mm lead 1mm label	Lifetime
 LW-PX700	1" (24mm)	9/16" (14mm)	180 dpi	30mm/sec	2-Color Backlit LCD Screen	QWERTY	AC Adapter Lithium-Ion Battery 6 AA*	n/a	USB	Auto: Full and Half	4mm lead 1mm label	Lifetime
 LW-PX400	1" (24mm)	9/16" (14mm)	180 dpi	15mm/sec	n/a	n/a	AC Adapter 6 AA*	Bluetooth®	USB, Bluetooth®	Auto: Full	10mm lead 1mm label	Lifetime
 LW-PX350	3/4" (18mm)	1/2" (11mm)	180 dpi	6mm/sec	2-Color LCD Screen	QWERTY	AC Adapter 6 AA*	n/a	n/a	Auto: Full	10mm	Lifetime
 LW-PX300	3/4" (18mm)	3/16" (5mm)	180 dpi	6mm/sec	2-Color Backlit LCD Screen	QWERTY	AC Adapter 6 AA*	n/a	n/a	Manual: Full	10mm	Lifetime

*Not included

ACCESSORIES FOR THE LABELWORKS LINE

Customize your Order with Accessories

	DESCRIPTION	PART NUMBER
	CASES	
	Hard Case for LW-PX900, LW-PX700	LWCS1200
	Soft Case for LW-PX750, LW-PX350	LWCS1100
	Hard Case for LW-PX300	LWCS1000
	REPLACEMENT ADAPTERS	
	LW-PX350, LW-PX300 (K-Sun Legacy Models BEE3®, BEE3®-EZ)	APT0615
	LW-PX900, LW-PX800 (K-Sun Legacy Model PEARLabel® 360)	AST1527
	LW-PX750, LW-PX700, LW-PX400 (K-Sun Legacy Models K-Sun 2020LSTB, PEARLabel® 270)	AST1116
	LW-Z5010PX, LW-Z5000PX (K-Sun Legacy Model PEARLabel® 400iXL)	AST2437
	OTHER	
	Set of 2 Magnetic Attachments for LW-PX900, LW-PX700	LWPXMAG
	Lithium-Ion Battery for LW-Z5010PX, LW-PX900, LW-PX700	LWPXLION
	USB Replacement Cable, 3ft, Fully Rated AB	LWUSB
	Rubber Guard for LW-PX400	LWRG400
	Rubber Guard for LW-PX300	LWRG300
	ACCESSORIES FOR LW-Z5010PX AND LW-Z5000PX	
	LW-Z Rewinder	RW001
	Replacement full cutter for LW-Z5000PX, LW-Z5010PX	CF001
	Replacement half cutter for LW-Z5000PX, LW-Z5010PX	CH001

Check LabelWorks.Epson.com for product updates and information

PRINTER SPECIFICATIONS

Specific to Standalone Printers

LW-Z5010PX

Pages 6-9

PRINTER

Technology: Thermal Transfer
Tape Width: 4-50mm / 1/6" -2"
Max Heat Shrink Tube Width: 3-21mm / 1/8" -7/8"
Resolution: 300 dpi
Printer Head Width: 52.15mm
Max Print Speed: 50mm / sec (with AC Adapter)

HARDWARE

Cutter: Automatic with full-cut & half-cut options
Replaceable Cutter: Yes - Half and Full
LCD: 4.3" WQVGA, Full Color Touch Screen
Keyboard: QWERTY
Internal Memory: up to 100 files and 5 images
Drop-Stop & Pick-n-print: Yes
Detection: Cover open, battery, tape detection (type and size), tape end, supply level, wireless connection

CONNECTIVITY

Interface: USB, WiFi (Wireless LAN), Wired LAN
Compatible PC Software: Epson Label Editor
Compatible Mac Software: N/A
Compatible Apps (iOS 9.0 or later Android 5.0 or later): Epson Label Editor Mobile, Epson iLabel, Epson Datacom

POWER INFORMATION

AC Adapter: Yes
Battery: Rechargeable Lithium-Ion Battery

PRINTER SETTINGS & FEATURES

Repeat Printing: Yes
Auto Increment: Yes
Number Serialization: Up to 4 alpha-numeric characters
Label Transfer from PC Software: Yes
Store and Print Images: Yes, up to 5
Mirror Printing: Yes
Mix-Length: Yes
Peel Guard Corner Rounder: N/A
Minimum Margins: 5mm lead, 1mm between labels
Vertical Printing: Yes
Cable Wrap: Yes
Flag: Yes
Patch Panel: Yes
Punch Block: Yes
Faceplate: Yes
Block 66: Yes
Barcodes: 8 formats
QR Code: Yes
Symbols: 924
Length: Auto or custom
of Fonts: 1
Frames: 74
Table: 10



LW-Z5000PX

Pages 10-13

PRINTER

Technology: Thermal Transfer
Tape Width: 4-50mm / 1/6" -2"
Max Heat Shrink Tube Width: 3-21mm / 1/8" -7/8"
Resolution: 300 dpi
Printer Head Width: 52.15mm
Max Print Speed: 50mm / sec (with AC Adapter)

HARDWARE

Cutter: Automatic with full-cut & half-cut options
Replaceable Cutter: Yes - Half and Full
LCD: N/A
Keyboard: N/A
Internal Memory: N/A
Drop-Stop & Pick-n-print: From PC
Detection: Cover open, tape detection (type and size), tape end, supply level, wireless connection

CONNECTIVITY

Interface: USB, WiFi (Wireless LAN), Wired LAN
Compatible PC Software: Epson Label Editor
Compatible Mac Software: N/A
Compatible Apps (iOS 9.0 or later Android 5.0 or later): Epson Label Editor Mobile, Epson iLabel, Epson Datacom

POWER INFORMATION

AC Adapter: Yes
Battery: N/A

PRINTER SETTINGS & FEATURES

Repeat Printing: Yes*
Auto Increment: Yes*
Number Serialization: Yes*
Label Transfer from PC Software: N/A
Store and Print Images: N/A
Mirror Printing: Yes*
Mix-Length: Yes*
Peel Guard Corner Rounder: N/A
Minimum Margins: 5mm lead, 1mm between labels
Vertical Printing: Yes*
Cable Wrap: Yes*
Flag: Yes*
Patch Panel: Yes*
Punch Block: Yes*
Faceplate: Yes*
Block 66: Yes*
Barcodes: Yes*
QR Code: Yes*
Symbols: Yes*
Length: Auto or custom
of Fonts: Dependant on Software or Apps*
Frames: Yes*
Table: Yes*



*From PC Software and Apps

LW-PX900

Pages 14-17

PRINTER

Technology: Thermal Transfer
Tape Width: 4-36mm / 1/6" -1.5"
Max Heat Shrink Tube Width: 3-21mm / 1/8" -7/8"
Resolution: 360 dpi
Printer Head Width: 27.1mm
Max Print Speed: 35mm/sec (with AC Adapter)

HARDWARE

Cutter: Automatic with full-cut & half-cut options
Replaceable Cutter: N/A
LCD: 3.2 Monochrome Back-lit LCD
Keyboard: QWERTY
Internal Memory: Up to 100 files
Drop-Stop & Pick-n-print: Yes
Detection: Cover open, battery level, tape detection (type and size), tape end

CONNECTIVITY

Interface: USB
Compatible PC Software: Epson Label Editor
Compatible Mac Software: N/A
Compatible Apps (iOS 9.0 or later Android 5.0 or later): N/A

POWER INFORMATION

AC Adapter: Yes
Battery: Rechargeable Lithium-Ion Battery or AA
(AA batteries not included)

PRINTER SETTINGS & FEATURES

Repeat Printing: Yes
Auto Increment: Yes
Number Serialization: Up to 4 alpha-numeric characters
Label Transfer from PC Software: Yes
Store and Print Images: N/A
Mirror Printing: Yes
Mix-Length: Yes
Peel Guard Corner Rounder: N/A
Minimum Margins: 4mm lead, 1mm between labels
Vertical Printing: Yes
Cable Wrap: Yes
Flag: Yes
Patch Panel: Yes
Punch Block: Yes
Faceplate: Yes
Block 66: Yes
Barcodes: 8 formats
QR Code: Yes
Symbols: 892
Length: Auto or custom
of Fonts: 2
Frames: 74
Table: 10



LW-PX800

Pages 18-21

PRINTER

Technology: Thermal Transfer
Tape Width: 4-36mm / 1/6" -1.5"
Max Heat Shrink Tube Width: 3-21mm / 1/8" -7/8"
Resolution: 360 dpi
Printer Head Width: 27.1mm
Max Print Speed: 35mm/sec (with AC Adapter)

HARDWARE

Cutter: Automatic with full-cut & half-cut options
Replaceable Cutter: N/A
LCD: N/A
Keyboard: N/A
Internal Memory: N/A
Drop-Stop & Pick-n-print: From PC
Detection: Cover open, tape detection (type and size), tape end, wireless connection

CONNECTIVITY

Interface: Interface: USB, WiFi (Wireless LAN), Wired LAN
Compatible PC Software: Epson Label Editor
Compatible Mac Software: Epson Label Editor Lite
Compatible Apps (iOS 9.0 or later Android 5.0 or later): Epson Label Editor Mobile, Epson iLabel, Epson Datacom

POWER INFORMATION

AC Adapter: Yes
Battery: N/A

PRINTER SETTINGS & FEATURES

Repeat Printing: Yes*
Auto Increment: Yes*
Number Serialization: Yes*
Label Transfer from PC Software: N/A
Store and Print Images: N/A
Mirror Printing: Yes*
Mix-Length: Yes*
Peel Guard Corner Rounder: Yes
Minimum Margins: 10mm lead, 1mm between labels
Vertical Printing: Yes*
Cable Wrap: Yes*
Flag: Yes*
Patch Panel: Yes*
Punch Block: Yes*
Faceplate: Yes*
Block 66: Yes*
Barcodes: Yes*
QR Code: Yes*
Symbols: Yes*
Length: Auto or custom
of Fonts: Dependant on Software or Apps*
Frames: Yes*
Table: Yes*



*From PC Software and Apps

PRINTER SPECIFICATIONS

Specific to Standalone Printers

LW-PX750

Pages 22-25

PRINTER

Technology: Thermal Transfer
Tape Width: 4-24mm / 1/6" -1"
Max Heat Shrink Tube Width: 3-14mm / 1/8" -9/16"
Resolution: 180dpi
Printer Head Width: 18.1mm
Max Print Speed: 30mm/sec (with AC Adapter)

HARDWARE

Cutter: Automatic with full-cut & half-cut options
Replaceable Cutter: N/A
LCD: 130x64 back-lit monochrome
Keyboard: QWERTY
Internal Memory: Up to 50 files and 5 images
Drop-Stop & Pick-n-print: Yes
Detection: Cover open, battery level, tape detection (type and size), tape end

CONNECTIVITY

Interface: USB
Compatible PC Software: Epson Label Editor
Compatible Mac Software: N/A
Compatible Apps (iOS 9.0 or later Android 5.0 or later): N/A

POWER INFORMATION

AC Adapter: Yes
Battery: AA (AA batteries not included)

PRINTER SETTINGS & FEATURES

Repeat Printing: Yes
Auto Increment: Yes
Number Serialization: Up to 4 digits
Label Transfer from PC Software: Yes
Store and Print Images: Yes, up to 5
Mirror Printing: Yes
Mix-Length: Yes
Peel Guard Corner Rounder: Yes
Minimum Margins: 4mm lead, 1mm between labels
Vertical Printing: Yes
Cable Wrap: Yes
Flag: Yes
Patch Panel: N/A
Punch Block: N/A
Faceplate: N/A
Block 66: N/A
Barcodes: 8 formats
QR Code: Yes
Symbols: 892
Length: Auto or custom
of Fonts: 14
Frames: 72
Table: 3



LW-PX700

Pages 26-29

PRINTER

Technology: Thermal Transfer
Tape Width: 4-24mm / 1/6" -1"
Max Heat Shrink Tube Width: 3-14mm / 1/8" -9/16"
Resolution: 180dpi
Printer Head Width: 18.1mm
Max Print Speed: 30mm/sec (with AC Adapter)

HARDWARE

Cutter: Automatic with full-cut & half-cut options
Replaceable Cutter: N/A
LCD: 3.2" monochrome back-lit LCD
Keyboard: QWERTY
Internal Memory: Up to 50 files and 5 images
Drop-Stop & Pick-n-print: Yes
Detection: Cover open, battery level, tape detection (type and size), tape end

CONNECTIVITY

Interface: USB
Compatible PC Software: Epson Label Editor
Compatible Mac Software: N/A
Compatible Apps (iOS 9.0 or later Android 5.0 or later): N/A

POWER INFORMATION

AC Adapter: Yes
Battery: Rechargeable Lithium-Ion Battery or AA (AA batteries not included)

PRINTER SETTINGS & FEATURES

Repeat Printing: Yes
Auto Increment: Yes
Number Serialization: Up to 4 digits
Label Transfer from PC Software: Yes
Store and Print Images: Yes, up to 5
Mirror Printing: Yes
Mix-Length: Yes
Peel Guard Corner Rounder: N/A
Minimum Margins: 4mm lead, 1mm between labels
Vertical Printing: Yes
Cable Wrap: Yes
Flag: Yes
Patch Panel: Yes
Punch Block: Yes
Faceplate: Yes
Block 66: Yes
Barcodes: 8 formats
QR Code: Yes
Symbols: 892
Length: Auto or custom
of Fonts: 2
Frames: 72
Table: 3



**From PC Software and Apps*

LW-PX400

Pages 30-33

PRINTER

Technology: Thermal Transfer
Tape Width: 4-24mm / 1/6" -1"
Max Heat Shrink Tube Width: 3-14mm / 1/8" -9/16"
Resolution: 180dpi
Printer Head Width: 18.1mm
Max Print Speed: 15mm/sec (with AC Adapter)

HARDWARE

Cutter: Automatic with full-cut
Replaceable Cutter: N/A
LCD: N/A
Keyboard: N/A
Internal Memory: N/A
Drop-Stop & Pick-n-print: From PC
Detection: Cover open, battery level, tape detection (type and size), tape end, bluetooth connectivity

CONNECTIVITY

Interface: USB, Bluetooth
Compatible PC Software: Epson Label Editor
Compatible Mac Software: Epson Label Editor Lite
Compatible Apps (iOS 9.0 or later Android 5.0 or later): Epson Label Editor Mobile, Epson iLabel, Epson Datacom

POWER INFORMATION

AC Adapter: Yes
Battery: AA (AA batteries not included)

PRINTER SETTINGS & FEATURES

Repeat Printing: Yes*
Auto Increment: Yes*
Number Serialization: Yes*
Label Transfer from PC Software: N/A
Store and Print Images: N/A
Mirror Printing: Yes*
Mix-Length: Yes*
Peel Guard Corner Rounder: N/A
Minimum Margins: 10mm lead, 1mm between labels
Vertical Printing: Yes*
Cable Wrap: Yes*
Flag: Yes*
Patch Panel: Yes*
Punch Block: Yes*
Faceplate: Yes*
Block 66: Yes*
Barcodes: Yes*
QR Code: Yes*
Symbols: Yes*
Length: Auto or custom
of Fonts: Dependant on Software or Apps*
Frames: Yes*
Table: Yes*



LW-PX350

Pages 34-37

PRINTER

Technology: Thermal Transfer
Tape Width: 4-18mm / 1/6" -3/4"
Max Heat Shrink Tube Width: 3-12mm / 1/8" -1/2"
Resolution: 180dpi
Printer Head Width: 9.3mm
Max Print Speed: 6mm/sec (with AC Adapter)

HARDWARE

Cutter: Automatic with full-cut
Replaceable Cutter: N/A
LCD: 1.75" monochrome LCD
Keyboard: QWERTY
Internal Memory: Up to 4 files
Drop-Stop & Pick-n-print: N/A
Detection: Cover open, battery level, tape detection (size)

CONNECTIVITY

Interface: N/A
Compatible PC Software: N/A
Compatible Mac Software: N/A
Compatible Apps (iOS 9.0 or later Android 5.0 or later): N/A

POWER INFORMATION

AC Adapter: Yes
Battery: AA (AA batteries not included)

PRINTER SETTINGS & FEATURES

Repeat Printing: N/A
Auto Increment: Yes
Number Serialization: Up to 1 digit
Label Transfer from PC Software: N/A
Store and Print Images: N/A
Mirror Printing: N/A
Mix-Length: N/A
Peel Guard Corner Rounder: N/A
Minimum Margins: 10mm
Vertical Printing: Yes
Cable Wrap: Yes
Flag: Yes
Patch Panel: N/A
Punch Block: N/A
Faceplate: N/A
Block 66: N/A
Barcodes: 8 formats
QR Code: N/A
Symbols: 1006
Length: Auto or custom
of Fonts: 14
Frames: 75
Table: 4



**From PC Software and Apps*

PRINTER SPECIFICATIONS

Specific to Standalone Printers

LW-PX300

Pages 38-41

PRINTER

Technology: Thermal Transfer
Tape Width: 6-18mm / 1/4" -3/4"
Max Heat Shrink Tube Width: 3-5mm / 1/8" -3/16"
Resolution: 180dpi
Printer Head Width: 9.1mm
Max Print Speed: 6mm/sec (with AC Adapter)

HARDWARE

Cutter: Manual full cut
Replaceable Cutter: N/A
LCD: 130x48 back-lit monochrome
Keyboard: QWERTY
Internal Memory: Up to 50 files
Drop-Stop & Pick-n-print: N/A
Detection: Cover open, battery level, tape detection (size)

CONNECTIVITY

Interface: N/A
Compatible PC Software: N/A
Compatible Mac Software: N/A
Compatible Apps (iOS 9.0 or later Android 5.0 or later): N/A

POWER INFORMATION

AC Adapter: Yes
Battery: AA (AA batteries not included)

PRINTER SETTINGS & FEATURES

Repeat Printing: Yes
Auto Increment: Yes
Number Serialization: Up to 1 digit
Label Transfer from PC Software: N/A
Store and Print Images: N/A
Mirror Printing: Yes
Mix-Length: N/A
Peel Guard Corner Rounder: N/A
Minimum Margins: 10mm
Vertical Printing: Yes
Cable Wrap: Yes
Flag: Yes
Patch Panel: N/A
Punch Block: N/A
Faceplate: N/A
Block 66: N/A
Barcodes: 8 formats
QR Code: N/A
Symbols: 780
Length: Auto or custom
of Fonts: 14
Frames: 89
Table: N/A



**From PC Software and Apps*

PERSONAL CUSTOMER SUPPORT

Support from a Team that Cares

When you put your trust in Epson LabelWorks, you get direct access to our team of US-based product and labeling experts. Based in Somerset, Wisconsin, our customer support team is here to answer your questions, provide one-on-one training, and address any need you may have.

As many companies opt for bots or impersonal offshore tech support, with Epson LabelWorks, you'll experience VIP treatment every time! Whether you prefer phone, live chat, or email, the Epson LabelWorks team is here to make your labeling projects fast and easy.

WHAT OUR CUSTOMERS THINK OF OUR SUPPORT

"I appreciated your EXCELLENT Customer Service. What a nice change from other vendors."

Bart B.
Epson LW-PX400 User

"You guys have amazing customer service! Michelle has been awesome to work with!"

Paul A.
Epson LW-PX700 User

"I have been ordering from you for years now. I am very satisfied with your quick response and fast shipping."

Joachim L.
Epson LW-PX900 User

"Thank you so much! You went above and beyond in customer service!"

Joe S.
Epson LW-PX700 User





GET IN TOUCH



Phone
+1 800.622.6312
M-F 8am-4pm CST



Fax
+1 800.522.9108



Email
orders@labelworks.epson.com



Web
labelworks.epson.com



Address
PO Box 309, 370 SMC Drive
Somerset, WI 54025

FOLLOW US



EPSON®